

FIND OUT
THE NEW **RS**
EASY REPLACEMENT SYSTEM

EXTRUDED PROFILES
COMPLETE RANGE

Movex[®]
www.movexii.com

Movex[®] EXTRUSION CENTER

We extrude for your business.

Movex[®] is a dynamic and flexible business reality that have been active in the industrial production for over ten years and is reaching market leadership as a reliable and precise supplier, planning the future without losing sight of its history and the values that allow its growth.

In the dedicated extrusion center from our production plant in Castelli Calepio (Italy), **Movex**[®] provides a new generation of high-performing profiles, developed and produced with the most updated technologies. Experienced engineers works around the clock on more than 50 extruders (horizontal and vertical) to perfect almost 2000 high quality extruded products destined for our customers' needs.

Movex[®] meets your needs for standard and custom made products in a dynamic and responsive way, ensuring the best performance to satisfy our customers' requirements.





Choose the one that best suits you.

Each of the hundreds **Movex®** profiles are produced from a first rate **UHMW-PE** with the possibility to further enhance performance by using our patented materials **BluLub®** and **Titanium White®**.

Transportation is a delicate phase for your shipment, ship your order we choose the correct protection: carton, coils, reinforced wooden crate, packaging varies depending on the article typology, its size and its weight.

Standard or customized extrusion...your choice.

Movex® is driven by the will to design and manufacture top quality items, combining technical performance and design, in order to offer its customers a tailor made service.

Beside of the standard available profiles, **Movex®** is also developing together with the customer innovative special solutions to offer “*the product you need when you need it*” against an attractive prices.

We have organized a specific workflow, developed over the course of the last ten years, which aims to satisfy the requirements of even the most demanding buyer.

Get in touch with us and ask a personalised quotation.



Design dept



Packaging dept

Born in May 2011 **Movex®** in over ten years of activity never lost its priority: “*Creating value trough innovative development of ideas and supporting our partners with professionalism, flexibility and effectiveness.*”



BluLub®

Choose the performance of innovative material.



BluLub® is the Movex super-performance compounded Ultra High Molecular Weight Polyethylene material, with the latest generation of solid lubricants, able to contribute improving PV-properties (limiting pressure velocity) compared to standard UHMW-PE, especially in applications with limited lubrication, higher speeds and/or higher loads.

BluLub® ensures high wear and abrasion resistance, requires less energy and with the lowest coefficient of friction, improves the product stability and wear life of sliding parts.

Thanks to the **BluLub®** characteristics, the extruded profiles can also offer a longer wear life, compared to traditional materials, and will help reducing marks over products or goods sliding on them; at the same time, **BluLub®** is also ideal for extreme conditions in terms of load and speed.

More material information and technical data sheet can be provided on request, get in touch with us for a quick support.

BluLub® is available for any type of profile, standard or custom.



Properties:

- UHMW-PE Polyethylene with molecular density 9,200,000 g/mol.
- Operating temperature: -40 to + 80°C (-40 to 176°F)
- Linear expansion coefficient: $2 \times 10^{-4} \text{ } ^\circ\text{C}^{-1}$ ($1.1 \times 10^{-4} \text{ } ^\circ\text{F}^{-1}$)





Available Materials



The right choice for:

- Lowest coefficient of friction
- Reduced noise and squeaking
- Lowest wear and minimized energy consumption
- Minimal moisture absorption
- Extreme material performances
- Best lubricant distribution



BluLub®

Titanium White®

High quality, bright white extrusions.

Titanium White® is the latest addition in the Movex's extrusion compound family.

The name **Titanium White®** refers to the special metal because it has comparable unique properties, like high strength and optimum performance, generating low friction, absorbing heat and reducing energy consumption.


Titanium White® has a long lasting bright white color and keeps performances also after many hours of work.

Thanks to the **Titanium White®** characteristics, the extruded profiles are made of an intense white UHMW-PE, resulting in a smoother surface and devoid of push marks, meaning in a minimized power consumption and possible goods defect.

Titanium White® has also an improved UV and aging resistance and a high chemical resistance.

More material information and technical datasheets can be provided on request, get in touch with us for a quick support.

Titanium White® is available for any type of profile, standard or custom.



Strong metal with low density that is quite ductile, lustrous and metallic white in color.

All these features reflect our extruded profiles with **Ti-White** compound.



Ti-White (Example of application)

Properties:

- UHMW-PE Polyethylene with molecular density 9,200,000 g/mol.
- Operating temperature: -40 to + 80°C (-40 to 176°F)
- Linear expansion coefficient: $2 \times 10^{-4} \text{C}^{-1}$ ($1.1 \times 10^{-4} \text{°F}^{-1}$)



Available Materials



The right choice for:

- Lower coefficient of friction
- Lower wear and less energy consumption
- Minimal moisture absorption
- UV & aging resistance
- High chemical resistance



Ti-White®

UHMW-PE

Available Materials

Standard extrusion polyethylene.

Standard profiles are all made with a first-rate **UHMW-PE** polyethylene, a thermoplastic polymer with a variable crystalline structure with a vast range of applications.

UHMW-PE is available in several colors and lengths. It's the perfect choice to reach your line-performance against an attractive price.



UHMW-PE is available for any type of profile, standard or custom.


The right choice for:

- Low coefficient of friction
- Good resistance to wear consumption
- Attractive market price
- Long durability


Properties:

- UHMW-PE Polyethylene with molecular density 5,600,000 g/mol.
- Operating temperature: -40 to + 80°C (-40 to 176°F)
- Linear expansion coefficient: $2 \times 10^{-4} \text{ } ^\circ\text{C}^{-1}$ ($1.1 \times 10^{-4} \text{ } ^\circ\text{F}^{-1}$)

Colors available*:




Black



Blue



Green






Grey

*Other colors are available on request.

Material selection

Movex offers different materials and design solution for each customer requirements. These comparison tables help to better understand each material and take advantage of their strengths and features to suit your specific needs:



Ti-White® vs Traditional HMW-PE

BluLub® vs Traditional HMW-PE



IMPROVED RESISTANCE

This material can keep its color properties stable during the time. Moreover, titanium gives better sliding properties than traditional material.



ENERGY SAVING

Thanks to the unique solid lubricant added into the material, the sliding properties are excellent and energy consumption will be reduced.

RS SIDE GUIDE RAIL

Easy and modular replacement label saver system.

RS Side guide profile is a development which enable you to simplify your business!

Thanks to the replaceable wear-strip in **BluLub®**, **RS Side guide profile** can reduce total cost of ownership: in case of required maintenace, only **BluLub®** strips can be replaced, saving time at a lower cost.

Different profiles are available from stock and can be mounted in different ways to optimize the support of your product according the specific needs.



Increased performance

BluLub® wearstrips contribute to a lower friction which results in less energy consumption.



Fast and easy maintenance

Thanks to its innovative design, the easy replaceable **BluLub® wearstrips** meets the needs to reduce maintenance time.



Interchangeable wearstrip

Every **BluLub® wearstrip** has the same fixing system, this makes all versions interchangeable. In case of required replacement, wearstrips can be ordered as coiled spare parts.



No gap between connection

BluLub® wearstrip allows you to connect two or more different base profiles with no gap, by simply slide it in.

The right choice for:

- Innovative equipment
- TCO reduction
- Less energy consumption
- Improved product stability

RS Side guide rail profiles are available in various executions.

Materials:


- Base profile: **UHMW-PE** (see details).
- Label saver: **BluLub®** polyethylene UHMW-PE with molecular density 9,200,000 g/mo. with reduced coefficient of friction and higher wear resistance and its complies with the code of Federal Regulations of FDA (see details).

Extruded profiles range

L-Profile


See product page for specific details and materials available.

1094




Page 20

175




Page 20

1038




Page 20

150




Page 20

1058



Page 21

174




Page 21

Z-Profile


See product page for specific details and materials available.

101




Page 21

102



Page 21

102




Page 22

176



Page 22

1074




Page 22

Special shape


See product page for specific details and materials available.

107



Page 22

108




Page 23

105 See dimensions available



Page 23

106




Page 24

J-Profile


See product page for specific details and materials available.

103 Fit on 2 mm




Page 24

104 Fit on 2 mm




Page 24

179 Fit on 2 mm




Page 24

1014 Fit on 3 mm




Page 25

1015 Fit on 2.5 to 3.5 mm




Page 25

1016 Fit on 3 mm




Page 25

1017 Fit on 3 mm




Page 26

1018 Fit on 3 mm




Page 26

1019 Fit on 3 mm




Page 26

1020 Fit on 3 mm




Page 27

1068 Fit on 1.8 to 2 mm




Page 27

1090 Fit on 1.8 to 2 mm




Page 27

1021 Fit on 3 mm




Page 28

1022 Fit on 3 mm




Page 28

1023 Fit on 3 mm




Page 28

1024 Fit on 3 mm




Page 29

1025 Fit on 3 mm




Page 29

1026 Fit on 3 mm




Page 29

1027 Fit on 3 mm




Page 30

1028 Fit on 3 mm




Page 30

1046 Fit on 3 mm




Page 30

1029 Fit on 3 mm




Page 31

1030 Fit on 3 mm




Page 31

1031 Fit on 3 mm




Page 31

1032 Fit on 3 mm




Page 31

1035 Fit on 3 mm




Page 32

1033 Fit on 3 mm



Page 32

1034 Fit on 3 mm




Page 32

U-Profile


See product page for specific details and materials available.

109




Page 33

110




Page 33

156




Page 33

156




Page 34

149




Page 34

177




Page 34

1059




Page 35

178




Page 35

111




Page 35

1060




Page 36

199




Page 36

199




Page 36

199 Staggered




Page 36

1080




Page 37

1081




Page 37

133




Page 37

148




Page 38

157




Page 38

157




Page 38

118 Stainless steel




Page 39

112 Stainless steel



Page 39

147 Aluminum




Page 39

C-Profile

See product page for specific details and materials available.

1041 Fit on 25 x 5 mm




Page 39

1082 Fit on 38.1 x 6.35 mm




Page 40

1044 Fit on 38.1 x 12.7 mm




Page 40

1053 Fit on 38.1 x 6.35 mm




Page 40

1054 Fit on 38.1 x 6.35 mm




Page 41

137 Fit on 40 x 8 mm




Page 41

137 Fit on 40 x 8 mm



Page 41

137 Fit on 40 x 8 mm




Page 41

1042 Fit on 50 x 6 mm




Page 42

1045 Fit on 50.8 x 12.7 mm




Page 42

158 Fit on 50 x 6 mm




Page 42

163 See dimensions available
Used with Part. 164/165




Page 43

160 Used with Part. 164/165




Page 44

161 Used with Part. 164/165




Page 44

162 Used with Part. 164/165




Page 44

164 Aluminum




Page 45

165 Aluminum




Page 45

1039




Page 45

1083




Page 45

166 Fit on various dim.




Page 46

154




Page 46

155



Page 46

134




Page 47

Transfer plate and Nosebar


See product page for specific details and materials available.

199 Fit on 3 mm




Page 47

238




Page 47

228



Page 47

235




Page 47

Bar cap and cover


See product page for specific details and materials available.

1000
Fit on 1.5 mm




Page 48

1001
Fit on 1.5 mm




Page 48

1002
Fit on 3 mm




Page 48

1003
Fit on 3 mm




Page 48

1004
Fit on 3 mm




Page 48

1084
Fit on 3 mm




Page 49

1085
Fit on 3 mm




Page 49

153
Fit on 4/5 mm




Page 49

1006
Fit on 5 mm




Page 49

1007
Fit on 5 mm




Page 50

1040
Fit on 3 mm




Page 50

1008
Fit on 5 mm




Page 50

1009
Fit on 6 mm




Page 50

1010
Fit on 6 mm




Page 51

1086
Fit on 8 mm




Page 51

1011
Fit on 10 mm




Page 51

1013 Fit on 10 mm




Page 51

1012 Fit on 12/13 mm




Page 52

181 Fit on 25.4 x 25.4 mm




Page 52

1052 Fit on 38.1 x 50.8 mm



Page 52

180 Fit on 30.5 x 46 mm




Page 52

Side guide rail *USED WITH PLATE*


See product page for specific details and materials available. | Stainless steel profiles can be ordered separately.

1063
Fit on mm
30 x 4




Page 53

137
Fit on mm
40 x 8




Page 53

137
Fit on mm
40 x 10




Page 54

158
Fit on mm
50 x 6




Page 54

1064
Fit on mm
55 x 4




Page 55

183
Fit on mm
40 x 8




Page 55

158
Fit on mm
50 x 6




Page 56

194 Label saver
Fit on mm
50 x 6




Page 56

189
Fit on mm
40 x 8




Page 57

189 Label saver
Fit on mm
40 x 8




Page 57/58

1079 Rs
Fit on mm
40 x 8




Page 58

1079 Rs
Fit on mm
40 x 8




Page 58

189
Fit on mm
50 x 6



Page 59

189 Label saver
Fit on mm
50 x 6




Page 59/60

Side guide rail *USED WITH PLATE AND CLAMP*


See product page for specific details and materials available. | Stainless steel profiles can be ordered separately.

135
Fit on mm
60 x 6




Page 61

136
Fit on mm
60 x 6




Page 61

1057
Fit on mm
50 x 6




Page 62

1077 Label saver
Fit on mm
50 x 6




Page 62

1077 Rs
Fit on mm
50 x 6




Page 63

1078 Rs
Fit on mm
60 x 6




Page 63

1057
Fit on mm
60 x 6




Page 64

1077 Label saver
Fit on mm
60 x 6




Page 64

1077 Rs
Fit on mm
60 x 6




Page 65

1078 Rs
Fit on mm
60 x 6




Page 65

193
Fit on mm
60 x 5




Page 66

189 Label saver
Fit on mm
60 x 5




Page 66/67

193
Fit on mm
60 x 6




Page 68

189 Label saver
Fit on mm
60 x 6




Page 68/69

1075 Rs
Fit on mm
60 x 6




Page 69

187
Fit on mm
60 x 6



Page 70

187 Label saver
Fit on mm
60 x 6



Page 70

117 Stainless steel
Fit on mm
40 x 6 - 40 x 8
40 x 10



Page 71

1055 Stainless steel
Fit on mm
40 x 8 - 50 x 6



Page 71

159-1088-1089
Aluminum
Fit on mm
50 x 6 - 60 x 5
60 x 6



Page 72

362 Stainless steel




Page 72

Guide rail


See product page for specific details and materials available. | Assembled with stainless steel profile AISI 304.

119




Page 73

121




Page 74

120




Page 75

152




Page 75

1067




Page 76

143




Page 76

122




Page 77

123




Page 77

140




Page 78

146




Page 78

124




Page 79

141




Page 79

142




Page 80

125




Page 80

144




Page 81

184




Page 81

145




Page 82

1087




Page 82

191




Page 82

126




Page 83

127




Page 83

128



Page 83

129



Page 83

Bending machines and rollers

See product page for specific details.

198 Electric



Page 84

199 Manual



Page 84

151




Page 85/86

Neck guide


See product page for specific details and materials available.

170 Fit on 2.5 mm




Page 87

168 Fit on 2.5 mm




Page 87

169 Fit on 2.5 mm




Page 87

167 Fit on 1.8/2 mm




Page 87

192 Fit on 1.8/2 mm




Page 88

1062 Fit on 1.8/2 mm




Page 88

1072 Fit on 1.8/2 mm




Page 88

1073 Fit on 1.8/2 mm




Page 88

1076 Fit on 1.8/2 mm




Page 89

1037 Fit on 3 mm




Page 89

171 Fit on 3 mm



Page 89


172 Fit on 3 mm



Page 89


131

TYPE A
TYPE B




Page 90

130 Aluminum
TYPE A




Page 90

130 Aluminum
TYPE B



Page 90

188
Aluminum



Page 90

Accessories

See product page for specific details.

331 Stainless steel



Page 91

345 Stainless steel




Page 91

341 Polyamide



Page 92

394 Stainless steel



Page 92

351 Stainless steel



Page 93

3004 Stainless steel



Page 93

352 Stainless steel



Page 93

3005 Stainless steel




Page 94

347 Stainless steel



Page 94

348 Stainless steel



Page 94

346 Stainless steel



Page 95

357 Stainless steel





Page 95

1094 L-Profile

Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**
Standard





| Article-Nr. | Material | Availability | Supply |
|-------------|-----------------|--------------|------------|
| 109404 | BluLub | On request | 60 m coils |
| 109403 | Ti-White | On request | 60 m coils |
| 109401 | Black | On request | 60 m coils |
| 109405 | Blue | On request | 60 m coils |
| 109402 | Green | On request | 60 m coils |

175 L-Profile

Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**
Standard





| Article-Nr. | Material | Availability | Supply |
|-------------|-----------------|--------------|------------|
| 17504 | BluLub | On request | 60 m coils |
| 17503 | Ti-White | On request | 60 m coils |
| 17501 | Black | Stock item | 60 m coils |
| 17505 | Blue | On request | 60 m coils |
| 17502 | Green | Stock item | 60 m coils |

1038 L-Profile

Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**
Standard





| Article-Nr. | Material | Availability | Supply |
|-------------|-----------------|--------------|------------|
| 103804 | BluLub | On request | 60 m coils |
| 103803 | Ti-White | On request | 60 m coils |
| 103805 | Blue | On request | 60 m coils |

150 L-Profile

Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**
Standard





| Article-Nr. | Material | Availability | Supply |
|-------------|-----------------|--------------|------------|
| 15004 | BluLub | On request | 60 m coils |
| 15003 | Ti-White | On request | 60 m coils |
| 15001 | Black | Stock item | 60 m coils |
| 15005 | Blue | On request | 60 m coils |
| 15002 | Green | Stock item | 60 m coils |

1058 L-Profile

Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**
Standard





| Article-Nr. | Material | Availability | Supply |
|-----------------|-----------------|--------------|----------|
| 105800BC | BluLub | On request | 3 m bars |
| 105800B | BluLub | On request | 6 m bars |
| 105803C | Ti-White | On request | 3 m bars |
| 105803 | Ti-White | On request | 6 m bars |
| 105801C | Black | Stock item | 3 m bars |
| 105801 | Black | On request | 6 m bars |
| 105805C | Blue | On request | 3 m bars |
| 105805 | Blue | On request | 6 m bars |
| 105802C | Green | Stock item | 3 m bars |
| 105802 | Green | On request | 6 m bars |

174 L-Profile

Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**
Standard





| Article-Nr. | Material | Availability | Supply |
|---------------|-----------------|--------------|----------|
| 17404C | BluLub | On request | 3 m bars |
| 17404 | BluLub | On request | 6 m bars |
| 17403C | Ti-White | On request | 3 m bars |
| 17403 | Ti-White | On request | 6 m bars |
| 17401C | Black | Stock item | 3 m bars |
| 17401 | Black | On request | 6 m bars |
| 17405C | Blue | On request | 3 m bars |
| 17405 | Blue | On request | 6 m bars |
| 17402C | Green | Stock item | 3 m bars |
| 17402 | Green | On request | 6 m bars |

101 Z-Profile

Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**
Standard





| Article-Nr. | Material | Availability | Supply |
|--------------|-----------------|--------------|------------|
| 10104 | BluLub | On request | 60 m coils |
| 10103 | Ti-White | On request | 60 m coils |
| 10101 | Black | Stock item | 60 m coils |
| 10105 | Blue | On request | 60 m coils |
| 10102 | Green | Stock item | 60 m coils |

102 Z-Profile

Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**
Standard





| Article-Nr. | Material | Availability | Supply |
|---------------|-----------------|--------------|------------|
| 10202B | BluLub | Stock item | 60 m coils |
| 10203 | Ti-White | On request | 60 m coils |
| 10201 | Black | Stock item | 60 m coils |
| 10205 | Blue | On request | 60 m coils |
| 10202 | Green | Stock item | 60 m coils |

102 Z-Profile

Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**
Standard





| Article-Nr. | Material | Availability | Supply |
|---------------|-----------------|--------------|------------|
| 10299B | BluLub | Stock item | 60 m coils |
| 10293 | Ti-White | On request | 60 m coils |
| 10297 | Black | On request | 60 m coils |
| 10295 | Blue | On request | 60 m coils |
| 10298 | Green | Stock item | 60 m coils |

176 Z-Profile

Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**
Standard





| Article-Nr. | Material | Availability | Supply |
|--------------|-----------------|--------------|------------|
| 17604 | BluLub | On request | 60 m coils |
| 17603 | Ti-White | On request | 60 m coils |
| 17601 | Black | On request | 60 m coils |
| 17605 | Blue | On request | 60 m coils |
| 17602 | Green | Stock item | 60 m coils |

1074 Z-Profile

Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**
Standard





| Article-Nr. | Material | Availability | Supply |
|---------------|-----------------|--------------|------------|
| 107404 | BluLub | On request | 60 m coils |
| 107403 | Ti-White | On request | 60 m coils |
| 107401 | Black | Stock item | 60 m coils |
| 107405 | Blue | On request | 60 m coils |

107 Wear strip

Material: **BluLub**, **Ti-White** and standard **UHMW-PE**



Delivery: **Easy**
Standard



| Article-Nr. | Material | Availability | Supply |
|--------------|-----------------|--------------|------------|
| 10704 | BluLub | On request | 60 m coils |
| 10703 | Ti-White | Stock item | 60 m coils |
| 10701 | Black | On request | 60 m coils |
| 10705 | Blue | On request | 60 m coils |
| 10702 | Green | Stock item | 60 m coils |

108 T-Profile

Material: **BluLub**, **Ti-White** and standard **UHMW-PE**





| Article-Nr. | Material | Availability | Supply |
|----------------|-----------------|--------------|----------|
| 10800BC | BluLub | On request | 3 m bars |
| 10800B | BluLub | Stock item | 6 m bars |
| 10803C | Ti-White | On request | 3 m bars |
| 10803 | Ti-White | On request | 6 m bars |
| 10801C | Black | Stock item | 3 m bars |
| 10801 | Black | On request | 6 m bars |
| 10805C | Blue | On request | 3 m bars |
| 10805 | Blue | On request | 6 m bars |
| 10802C | Green | Stock item | 3 m bars |
| 10802 | Green | Stock item | 6 m bars |

105 Flat Profile

Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**
Standard





| Article-Nr. | Material | A | A | Availability | Supply |
|----------------|-----------------|-----|---|--------------|------------|
| 10502BL | BluLub | 20 | 3 | On request | 60 m coils |
| 10504BL | BluLub | 20 | 5 | On request | 60 m coils |
| 10595BL | BluLub | 25 | 3 | On request | 60 m coils |
| 10592BL | BluLub | 30 | 3 | On request | 60 m coils |
| 10594BL | BluLub | 30 | 5 | On request | 60 m coils |
| 10596BL | BluLub | 40 | 3 | On request | 60 m coils |
| 10597BL | BluLub | 50 | 3 | On request | 60 m coils |
| 10506BL | BluLub | 60 | 3 | On request | 60 m coils |
| 10508BL | BluLub | 70 | 3 | On request | 60 m coils |
| 10510BL | BluLub | 100 | 3 | On request | 60 m coils |
| 10502W | Ti-White | 20 | 3 | On request | 60 m coils |
| 10504W | Ti-White | 20 | 5 | On request | 60 m coils |
| 10595W | Ti-White | 25 | 3 | On request | 60 m coils |
| 10592W | Ti-White | 30 | 3 | On request | 60 m coils |
| 10594W | Ti-White | 30 | 5 | On request | 60 m coils |
| 10596W | Ti-White | 40 | 3 | On request | 60 m coils |
| 10597W | Ti-White | 50 | 3 | On request | 60 m coils |
| 10506W | Ti-White | 60 | 3 | On request | 60 m coils |
| 10508W | Ti-White | 70 | 3 | On request | 60 m coils |
| 10510W | Ti-White | 100 | 3 | On request | 60 m coils |
| 10501 | Black | 20 | 3 | Stock item | 60 m coils |
| 10503 | Black | 20 | 5 | Stock item | 60 m coils |
| 10505 | Black | 60 | 3 | Stock item | 60 m coils |
| 10507 | Black | 70 | 3 | Stock item | 60 m coils |
| 10509 | Black | 100 | 3 | On request | 60 m coils |
| 10501B | Blue | 20 | 3 | On request | 60 m coils |
| 10503B | Blue | 20 | 5 | On request | 60 m coils |
| 10505B | Blue | 60 | 3 | On request | 60 m coils |
| 10507B | Blue | 70 | 3 | On request | 60 m coils |
| 10509B | Blue | 100 | 3 | On request | 60 m coils |
| 10502 | Green | 20 | 3 | Stock item | 60 m coils |
| 10504 | Green | 20 | 5 | Stock item | 60 m coils |
| 10595 | Green | 25 | 3 | Stock item | 60 m coils |
| 10592 | Green | 30 | 3 | On request | 60 m coils |
| 10594 | Green | 30 | 5 | Stock item | 60 m coils |
| 10596 | Green | 40 | 3 | Stock item | 60 m coils |
| 10597 | Green | 50 | 3 | On request | 60 m coils |
| 10506 | Green | 60 | 3 | Stock item | 60 m coils |
| 10508 | Green | 70 | 3 | Stock item | 60 m coils |
| 10510 | Green | 100 | 3 | Stock item | 60 m coils |

106 Flat Profile with nose

Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**
Standard





| Article-Nr. | Material | Availability | Supply |
|-------------|-----------------|--------------|------------|
| 10604 | BluLub | On request | 60 m coils |
| 10601 | Ti-White | Stock item | 60 m coils |
| 10605 | Blue | On request | 60 m coils |
| 10602 | Green | Stock item | 60 m coils |

103 J-Profile

Fit on 2 mm | Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**
Standard





| Article-Nr. | Material | Availability | Supply |
|-------------|-----------------|--------------|------------|
| 10300B-30 | BluLub | Stock item | 30 m coils |
| 10303 | Ti-White | Stock item | 60 m coils |
| 10301 | Black | Stock item | 60 m coils |
| 10305 | Blue | On request | 60 m coils |
| 10302 | Green | Stock item | 60 m coils |

104 J-Profile

Fit on 2 mm | Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**
Standard





| Article-Nr. | Material | Availability | Supply |
|-------------|-----------------|--------------|------------|
| 10400B | BluLub | Stock item | 60 m coils |
| 10403 | Ti-White | On request | 60 m coils |
| 10401 | Black | Stock item | 60 m coils |
| 10405 | Blue | On request | 60 m coils |
| 10402 | Green | Stock item | 60 m coils |

179 J-Profile

Fit on 2 mm | Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**
Standard





| Article-Nr. | Material | Availability | Supply |
|-------------|-----------------|--------------|------------|
| 17902BC | BluLub | On request | 3 m bars |
| 17902B | BluLub | On request | 6 m bars |
| 17902B-60 | BluLub | Stock item | 60 m coils |
| 17902WC | Ti-White | On request | 3 m bars |
| 17902W | Ti-White | On request | 6 m bars |
| 17902W-60 | Ti-White | On request | 60 m coils |
| 17901C | Black | Stock item | 3 m bars |
| 17901 | Black | On request | 6 m bars |
| 17901BC | Blue | On request | 3 m bars |
| 17901B | Blue | On request | 6 m bars |
| 17901B-60 | Blue | On request | 60 m coils |
| 17902C | Green | Stock item | 3 m bars |
| 17902 | Green | On request | 6 m bars |
| 17902-60 | Green | Stock item | 60 m coils |

1014 J-Profile

Fit on 3 mm (1/8") | Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**
Standard





| Article-Nr. | Material | Availability | Supply |
|-------------|-----------------|--------------|------------|
| 101400BC | BluLub | On request | 3 m bars |
| 101400B | BluLub | On request | 6 m bars |
| 101400B-30 | BluLub | On request | 30 m coils |
| 101403C | Ti-White | Stock item | 3 m bars |
| 101403 | Ti-White | On request | 6 m bars |
| 101403-30 | Ti-White | Stock item | 30 m coils |
| 101405C | Blue | On request | 3 m bars |
| 101405 | Blue | On request | 6 m bars |
| 101405-30 | Blue | On request | 30 m coils |

1015 J-Profile

Fit on 2,5 to 3,5 mm (1/8") | Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**
Standard





| Article-Nr. | Material | Availability | Supply |
|-------------|-----------------|--------------|------------|
| 101500BC | BluLub | On request | 3 m bars |
| 101500B | BluLub | On request | 6 m bars |
| 101500B-30 | BluLub | On request | 30 m coils |
| 101503C | Ti-White | On request | 3 m bars |
| 101503 | Ti-White | On request | 6 m bars |
| 101503-30 | Ti-White | On request | 30 m coils |
| 101505C | Blue | On request | 3 m bars |
| 101505 | Blue | On request | 6 m bars |
| 101505-30 | Blue | On request | 30 m coils |

1016 J-Profile

Fit on 3 mm (1/8") | Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**
Standard





| Article-Nr. | Material | Availability | Supply |
|-------------|-----------------|--------------|------------|
| 101600BC | BluLub | On request | 3 m bars |
| 101600B | BluLub | On request | 6 m bars |
| 101600B-30 | BluLub | On request | 30 m coils |
| 101603C | Ti-White | Stock item | 3 m bars |
| 101603 | Ti-White | On request | 6 m bars |
| 101603-30 | Ti-White | Stock item | 30 m coils |
| 101601C | Black | On request | 3 m bars |
| 101601 | Black | On request | 6 m bars |
| 101601-30 | Black | On request | 30 m coils |
| 101605C | Blue | On request | 3 m bars |
| 101605 | Blue | On request | 6 m bars |
| 101605-30 | Blue | On request | 30 m coils |
| 101602C | Green | On request | 3 m bars |
| 101602 | Green | On request | 6 m bars |
| 101602-30 | Green | On request | 30 m coils |

1017 J-Profile

Fit on 3 mm (1/8") | Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**
Standard





| Article-Nr. | Material | Availability | Supply |
|-------------|-----------------|--------------|------------|
| 101700BC | BluLub | On request | 3 m bars |
| 101700B | BluLub | On request | 6 m bars |
| 101700B-30 | BluLub | On request | 30 m coils |
| 101703C | Ti-White | Stock item | 3 m bars |
| 101703 | Ti-White | On request | 6 m bars |
| 101703-30 | Ti-White | Stock item | 30 m coils |
| 101701C | Black | On request | 3 m bars |
| 101701 | Black | On request | 6 m bars |
| 101701-30 | Black | On request | 30 m coils |
| 101705C | Blue | On request | 3 m bars |
| 101705 | Blue | On request | 6 m bars |
| 101705-30 | Blue | On request | 30 m coils |
| 101702C | Green | On request | 3 m bars |
| 101702 | Green | On request | 6 m bars |
| 101702-30 | Green | On request | 30 m coils |

1018 J-Profile

Fit on 3 mm (1/8") | Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**
Standard





| Article-Nr. | Material | Availability | Supply |
|-------------|-----------------|--------------|------------|
| 101800BC | BluLub | On request | 3 m bars |
| 101800B | BluLub | On request | 6 m bars |
| 101800-30 | BluLub | On request | 30 m coils |
| 101803C | Ti-White | Stock item | 3 m bars |
| 101803 | Ti-White | On request | 6 m bars |
| 101803-30 | Ti-White | On request | 30 m coils |
| 101805C | Blue | On request | 3 m bars |
| 101805 | Blue | On request | 6 m bars |
| 101805-30 | Blue | On request | 30 m coils |

1019 J-Profile

Fit on 3 mm (1/8") | Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**
Standard





| Article-Nr. | Material | Availability | Supply |
|-------------|-----------------|--------------|------------|
| 101900BC | BluLub | On request | 3 m bars |
| 101900B | BluLub | On request | 6 m bars |
| 101900B-30 | BluLub | On request | 30 m coils |
| 101903C | Ti-White | Stock item | 3 m bars |
| 101903 | Ti-White | On request | 6 m bars |
| 101903-30 | Ti-White | On request | 30 m coils |
| 101905C | Blue | On request | 3 m bars |
| 101905 | Blue | On request | 6 m bars |
| 101905-30 | Blue | On request | 30 m coils |

1020 J-Profile

Fit on 3 mm (1/8") | Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**
Standard





| Article-Nr. | Material | Availability | Supply |
|-----------------|-----------------|--------------|----------|
| 102000BC | BluLub | On request | 3 m bars |
| 102000B | BluLub | On request | 6 m bars |
| 102003C | Ti-White | Stock item | 3 m bars |
| 102003 | Ti-White | Stock item | 6 m bars |
| 102001C | Black | On request | 3 m bars |
| 102001 | Black | On request | 6 m bars |
| 102005C | Blue | On request | 3 m bars |
| 102005 | Blue | On request | 6 m bars |
| 102002C | Green | On request | 3 m bars |
| 102002 | Green | On request | 6 m bars |

1068 J-Profile

Fit on 1,8 to 2 mm | Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**
Standard





| Article-Nr. | Material | Availability | Supply |
|----------------|-----------------|--------------|------------|
| 106800B | BluLub | Stock item | 30 m coils |
| 106802 | Ti-White | On request | 30 m coils |
| 106805 | Blue | On request | 30 m coils |

1090 J-Profile

Fit on 1,8 to 2 mm | Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**
Standard





| Article-Nr. | Material | Availability | Supply |
|----------------|-----------------|--------------|------------|
| 109000B | BluLub | On request | 30 m coils |
| 109002 | Ti-White | On request | 30 m coils |
| 109005 | Blue | On request | 30 m coils |

1021 J-Profile

Fit on 3 mm (1/8") | Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**
Standard





| Article-Nr. | Material | Availability | Supply |
|-------------|-----------------|--------------|------------|
| 102100BC | BluLub | On request | 3 m bars |
| 102100B | BluLub | On request | 6 m bars |
| 102100B-30 | BluLub | On request | 30 m coils |
| 102103C | Ti-White | Stock item | 3 m bars |
| 102103 | Ti-White | On request | 6 m bars |
| 102103-30 | Ti-White | Stock item | 30 m coils |
| 102101C | Black | On request | 3 m bars |
| 102101 | Black | On request | 6 m bars |
| 102101-30 | Black | On request | 30 m coils |
| 102105C | Blue | On request | 3 m bars |
| 102105 | Blue | On request | 6 m bars |
| 102105-30 | Blue | On request | 30 m coils |
| 102102C | Green | On request | 3 m bars |
| 102102 | Green | On request | 6 m bars |
| 102102-30 | Green | On request | 30 m coils |

1022 J-Profile

Fit on 3 mm (1/8") | Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**
Standard





| Article-Nr. | Material | Availability | Supply |
|-------------|-----------------|--------------|------------|
| 102200BC | BluLub | On request | 3 m bars |
| 102200B | BluLub | On request | 6 m bars |
| 102200B-30 | BluLub | On request | 30 m coils |
| 102203C | Ti-White | Stock item | 3 m bars |
| 102203 | Ti-White | On request | 6 m bars |
| 102203-30 | Ti-White | On request | 30 m coils |
| 102205C | Blue | On request | 3 m bars |
| 102205 | Blue | On request | 6 m bars |
| 102205-30 | Blue | On request | 30 m coils |

1023 J-Profile

Fit on 3 mm (1/8") | Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**
Standard





| Article-Nr. | Material | Availability | Supply |
|-------------|-----------------|--------------|----------|
| 102300BC | BluLub | On request | 3 m bars |
| 102300B | BluLub | On request | 6 m bars |
| 102303C | Ti-White | Stock item | 3 m bars |
| 102303 | Ti-White | On request | 6 m bars |
| 102305C | Blue | On request | 3 m bars |
| 102305 | Blue | On request | 6 m bars |

1024 J-Profile

Fit on 3 mm (1/8") | Material: **BluLub, Ti-White** and standard **UHMW-PE**

Delivery: **Easy**
Standard





| Article-Nr. | Material | Availability | Supply |
|-------------|-----------------|--------------|------------|
| 102400BC | BluLub | On request | 3 m bars |
| 102400B | BluLub | On request | 6 m bars |
| 102400B-30 | BluLub | On request | 30 m coils |
| 102403C | Ti-White | Stock item | 3 m bars |
| 102403 | Ti-White | On request | 6 m bars |
| 102403-30 | Ti-White | Stock item | 30 m coils |
| 102401C | Black | On request | 3 m bars |
| 102401 | Black | On request | 6 m bars |
| 102401-30 | Black | On request | 30 m coils |
| 102405C | Blue | On request | 3 m bars |
| 102405 | Blue | On request | 6 m bars |
| 102405-30 | Blue | On request | 30 m coils |
| 102402C | Green | Stock item | 3 m bars |
| 102402 | Green | Stock item | 6 m bars |
| 102402-30 | Green | On request | 30 m coils |

1025 J-Profile

Fit on 3 mm (1/8") | Material: **BluLub, Ti-White** and standard **UHMW-PE**

Delivery: **Easy**
Standard





| Article-Nr. | Material | Availability | Supply |
|-------------|-----------------|--------------|------------|
| 102500BC | BluLub | On request | 3 m bars |
| 102500B | BluLub | On request | 6 m bars |
| 102500B-30 | BluLub | On request | 30 m coils |
| 102503C | Ti-White | Stock item | 3 m bars |
| 102503 | Ti-White | On request | 6 m bars |
| 102503-30 | Ti-White | Stock item | 30 m coils |
| 102501C | Black | On request | 3 m bars |
| 102501 | Black | On request | 6 m bars |
| 102501-30 | Black | On request | 30 m coils |
| 102505C | Blue | On request | 3 m bars |
| 102505 | Blue | On request | 6 m bars |
| 102505-30 | Blue | On request | 30 m coils |
| 102502C | Green | On request | 3 m bars |
| 102502 | Green | On request | 6 m bars |
| 102502-30 | Green | On request | 30 m coils |

1026 J-Profile

Fit on 3 mm (1/8") | Material: **BluLub, Ti-White** and standard **UHMW-PE**

Delivery: **Easy**
Standard





| Article-Nr. | Material | Availability | Supply |
|-------------|-----------------|--------------|------------|
| 102600BC | BluLub | On request | 3 m bars |
| 102600B | BluLub | On request | 6 m bars |
| 102600B-30 | BluLub | On request | 30 m coils |
| 102603C | Ti-White | Stock item | 3 m bars |
| 102603 | Ti-White | On request | 6 m bars |
| 102603-30 | Ti-White | On request | 30 m coils |
| 102605C | Blue | On request | 3 m bars |
| 102605 | Blue | On request | 6 m bars |
| 102605-30 | Blue | On request | 30 m coils |

1027 J-Profile

Fit on 3 mm (1/8") | Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**
Standard





| Article-Nr. | Material | Availability | Supply |
|-------------|-----------------|--------------|------------|
| 102700BC | BluLub | On request | 3 m bars |
| 102700B | BluLub | On request | 6 m bars |
| 102704-30 | BluLub | On request | 30 m coils |
| 102703C | Ti-White | Stock item | 3 m bars |
| 102703 | Ti-White | On request | 6 m bars |
| 102703-30 | Ti-White | On request | 30 m coils |
| 102705C | Blue | On request | 3 m bars |
| 102705 | Blue | On request | 6 m bars |
| 102705-30 | Blue | On request | 30 m coils |

1028 J-Profile

Fit on 3 mm (1/8") | Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**
Standard





| Article-Nr. | Material | Availability | Supply |
|-------------|-----------------|--------------|------------|
| 102800BC | BluLub | On request | 3 m bars |
| 102800B | BluLub | On request | 6 m bars |
| 102804-30 | BluLub | On request | 30 m coils |
| 102803C | Ti-White | Stock item | 3 m bars |
| 102803 | Ti-White | On request | 6 m bars |
| 102803-30 | Ti-White | Stock item | 30 m coils |
| 102805C | Blue | On request | 3 m bars |
| 102805 | Blue | On request | 6 m bars |
| 102805-30 | Blue | On request | 30 m coils |

1046 J-Profile

Fit on 3 mm (1/8") | Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**
Standard





| Article-Nr. | Material | Availability | Supply |
|-------------|-----------------|--------------|------------|
| 104600BC | BluLub | On request | 3 m bars |
| 104600B | BluLub | On request | 6 m bars |
| 104600B-30 | BluLub | Stock item | 30 m coils |
| 104603C | Ti-White | Stock item | 3 m bars |
| 104603 | Ti-White | On request | 6 m bars |
| 104603-30 | Ti-White | Stock item | 30 m coils |
| 104601C | Black | On request | 3 m bars |
| 104601 | Black | On request | 6 m bars |
| 104601-30 | Black | On request | 30 m coils |
| 104605C | Blue | On request | 3 m bars |
| 104605 | Blue | On request | 6 m bars |
| 104605-30 | Blue | On request | 30 m coils |
| 104602C | Green | Stock item | 3 m bars |
| 104602 | Green | On request | 6 m bars |
| 104602-30 | Green | Stock item | 30 m coils |

1029 J-Profile

Fit on 3 mm (1/8") | Material: **BluLub, Ti-White** and standard **UHMW-PE**

Delivery: **Easy**
Standard





| Article-Nr. | Material | Availability | Supply |
|-------------|-----------------|--------------|------------|
| 102900BC | BluLub | On request | 3 m bars |
| 102900B | BluLub | On request | 6 m bars |
| 102900B-30 | BluLub | On request | 30 m coils |
| 102903C | Ti-White | Stock item | 3 m bars |
| 102903 | Ti-White | On request | 6 m bars |
| 102903-30 | Ti-White | On request | 30 m coils |
| 102905C | Blue | On request | 3 m bars |
| 102905 | Blue | On request | 6 m bars |
| 102905-30 | Blue | On request | 30 m coils |

1030 J-Profile

Fit on 3 mm (1/8") | Material: **BluLub, Ti-White** and standard **UHMW-PE**

Delivery: **Easy**
Standard





| Article-Nr. | Material | Availability | Supply |
|-------------|-----------------|--------------|----------|
| 103000BC | BluLub | On request | 3 m bars |
| 103000B | BluLub | On request | 6 m bars |
| 103003C | Ti-White | Stock item | 3 m bars |
| 103003 | Ti-White | On request | 6 m bars |
| 103005C | Blue | On request | 3 m bars |
| 103005 | Blue | On request | 6 m bars |

1031 J-Profile

Fit on 3 mm (1/8") | Material: **BluLub, Ti-White** and standard **UHMW-PE**

Delivery: **Easy**
Standard





| Article-Nr. | Material | Availability | Supply |
|-------------|-----------------|--------------|----------|
| 103100BC | BluLub | Stock item | 3 m bars |
| 103100B | BluLub | On request | 6 m bars |
| 103103C | Ti-White | Stock item | 3 m bars |
| 103103 | Ti-White | Stock item | 6 m bars |
| 103105C | Blue | On request | 3 m bars |
| 103105 | Blue | On request | 6 m bars |

1032 J-Profile

Fit on 3 mm (1/8") | Material: **BluLub, Ti-White** and standard **UHMW-PE**

Delivery: **Easy**
Standard





| Article-Nr. | Material | Availability | Supply |
|-------------|-----------------|--------------|----------|
| 103200BC | BluLub | On request | 3 m bars |
| 103200B | BluLub | On request | 6 m bars |
| 103203C | Ti-White | Stock item | 3 m bars |
| 103203 | Ti-White | On request | 6 m bars |
| 103205C | Blue | On request | 3 m bars |
| 103205 | Blue | On request | 6 m bars |

1035 J-Profile

Fit on 3 mm (1/8") | Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**
Standard





| Article-Nr. | Material | Availability | Supply |
|-----------------|-----------------|--------------|----------|
| 103500BC | BluLub | On request | 3 m bars |
| 103500B | BluLub | On request | 6 m bars |
| 103503C | Ti-White | Stock item | 3 m bars |
| 103503 | Ti-White | On request | 6 m bars |
| 103505C | Blue | On request | 3 m bars |
| 103505 | Blue | On request | 6 m bars |

1033 J-Profile

Fit on 3 mm (1/8") | Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**
Standard





| Article-Nr. | Material | Availability | Supply |
|-----------------|-----------------|--------------|----------|
| 103300BC | BluLub | Stock item | 3 m bars |
| 103300B | BluLub | On request | 6 m bars |
| 103303C | Ti-White | Stock item | 3 m bars |
| 103303 | Ti-White | On request | 6 m bars |
| 103305C | Blue | On request | 3 m bars |
| 103305 | Blue | On request | 6 m bars |

1034 J-Profile

Fit on 3 mm (1/8") | Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**
Standard





| Article-Nr. | Material | Availability | Supply |
|-----------------|-----------------|--------------|----------|
| 103400BC | BluLub | On request | 3 m bars |
| 103400B | BluLub | On request | 6 m bars |
| 103403C | Ti-White | Stock item | 3 m bars |
| 103403 | Ti-White | On request | 6 m bars |
| 103405C | Blue | On request | 3 m bars |
| 103405 | Blue | On request | 6 m bars |

109 U-Profile

Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**
Standard





| Article-Nr. | Material | Availability | Supply |
|------------------|-----------------|--------------|------------|
| 10901BC | BluLub | Stock item | 3 m bars |
| 10901B | BluLub | On request | 6 m bars |
| 10901B-30 | BluLub | On request | 30 m coils |
| 10903C | Ti-White | Stock item | 3 m bars |
| 10903 | Ti-White | Stock item | 6 m bars |
| 10903-30 | Ti-White | On request | 30 m coils |
| 10901C | Black | Stock item | 3 m bars |
| 10901 | Black | Stock item | 6 m bars |
| 10901-30 | Black | Stock item | 30 m coils |
| 10905C | Blue | On request | 3 m bars |
| 10905 | Blue | On request | 6 m bars |
| 10905-30 | Blue | On request | 30 m coils |
| 10902C | Green | Stock item | 3 m bars |
| 10902 | Green | Stock item | 6 m bars |
| 10902-30 | Green | On request | 30 m coils |

110 U-Profile

Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**
Standard





| Article-Nr. | Material | Availability | Supply |
|------------------|-----------------|--------------|------------|
| 11000BC | BluLub | On request | 3 m bars |
| 11000B | BluLub | On request | 6 m bars |
| 11000B-30 | BluLub | On request | 30 m coils |
| 11003C | Ti-White | On request | 3 m bars |
| 11003 | Ti-White | On request | 6 m bars |
| 11003-30 | Ti-White | On request | 30 m coils |
| 11001C | Black | Stock item | 3 m bars |
| 11001 | Black | On request | 6 m bars |
| 11001-30 | Black | On request | 30 m coils |
| 11005C | Blue | On request | 3 m bars |
| 11005 | Blue | On request | 6 m bars |
| 11005-30 | Blue | On request | 30 m coils |
| 11002C | Green | Stock item | 3 m bars |
| 11002 | Green | On request | 6 m bars |
| 11002-30 | Green | On request | 30 m coils |

156 U-Profile

Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**
Standard





| Article-Nr. | Material | Availability | Supply |
|----------------|-----------------|--------------|----------|
| 15601BC | BluLub | On request | 3 m bars |
| 15601B | BluLub | On request | 6 m bars |
| 15603C | Ti-White | On request | 3 m bars |
| 15603 | Ti-White | On request | 6 m bars |
| 15601C | Black | Stock item | 3 m bars |
| 15601 | Black | On request | 6 m bars |
| 15605C | Blue | On request | 3 m bars |
| 15605 | Blue | On request | 6 m bars |
| 15602C | Green | Stock item | 3 m bars |
| 15602 | Green | On request | 6 m bars |

156 U-Profile

Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**
Standard





| Article-Nr. | Material | Availability | Supply |
|----------------|-----------------|--------------|----------|
| 15699BC | BluLub | Stock item | 3 m bars |
| 15699WC | Ti-White | On request | 3 m bars |
| 15699NC | Black | On request | 3 m bars |
| 15695C | Blue | On request | 3 m bars |
| 15699C | Green | Stock item | 3 m bars |

149 U-Profile with nose

Coils available | Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**
Standard





| Article-Nr. | Material | Availability | Supply |
|----------------|-----------------|--------------|----------|
| 14950BC | BluLub | On request | 3 m bars |
| 14950B | BluLub | On request | 6 m bars |
| 14953C | Ti-White | On request | 3 m bars |
| 14953 | Ti-White | On request | 6 m bars |
| 14950C | Black | Stock item | 3 m bars |
| 14950 | Black | On request | 6 m bars |
| 14955C | Blue | On request | 3 m bars |
| 14955 | Blue | On request | 6 m bars |
| 14952C | Green | Stock item | 3 m bars |
| 14952 | Green | On request | 6 m bars |

177 U-Profile

Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**
Standard





| Article-Nr. | Material | Availability | Supply |
|------------------|-----------------|--------------|------------|
| 17701BC | BluLub | Stock item | 3 m bars |
| 17701B | BluLub | On request | 6 m bars |
| 17701B-30 | BluLub | On request | 30 m coils |
| 17703C | Ti-White | On request | 3 m bars |
| 17703 | Ti-White | On request | 6 m bars |
| 17703-30 | Ti-White | On request | 30 m coils |
| 17701C | Black | Stock item | 3 m bars |
| 17701 | Black | Stock item | 6 m bars |
| 17701-30 | Black | On request | 30 m coils |
| 17705C | Blue | On request | 3 m bars |
| 17705 | Blue | On request | 6 m bars |
| 17705-30 | Blue | On request | 30 m coils |
| 17702C | Green | Stock item | 3 m bars |
| 17702 | Green | On request | 6 m bars |
| 17702-30 | Green | On request | 30 m coils |

1059

U-Profile

Coils available | Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**
Standard





| Article-Nr. | Material | Availability | Supply |
|-------------|-----------------|--------------|------------|
| 105901BC | BluLub | Stock item | 3 m bars |
| 105901B | BluLub | On request | 6 m bars |
| 105901B-30 | BluLub | On request | 30 m coils |
| 105903C | Ti-White | On request | 3 m bars |
| 105903 | Ti-White | On request | 6 m bars |
| 105903-30 | Ti-White | On request | 30 m coils |
| 105901C | Black | Stock item | 3 m bars |
| 105901 | Black | On request | 6 m bars |
| 105901-30 | Black | On request | 30 m coils |
| 105905C | Blue | On request | 3 m bars |
| 105905 | Blue | On request | 6 m bars |
| 105905-30 | Blue | On request | 30 m coils |
| 105902C | Green | Stock item | 3 m bars |
| 105902 | Green | On request | 6 m bars |
| 105902-30 | Green | On request | 30 m coils |

178

U-Profile

Coils available | Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**
Standard





| Article-Nr. | Material | Availability | Supply |
|-------------|-----------------|--------------|------------|
| 17801BC | BluLub | Stock item | 3 m bars |
| 17801B | BluLub | On request | 6 m bars |
| 17801B-30 | BluLub | Stock item | 30 m coils |
| 17803C | Ti-White | On request | 3 m bars |
| 17803 | Ti-White | On request | 6 m bars |
| 17803-30 | Ti-White | Stock item | 30 m coils |
| 17801C | Black | Stock item | 3 m bars |
| 17801 | Black | On request | 6 m bars |
| 17801-30 | Black | On request | 30 m coils |
| 17805C | Blue | On request | 3 m bars |
| 17805 | Blue | On request | 6 m bars |
| 17805-30 | Blue | On request | 30 m coils |
| 17802C | Green | Stock item | 3 m bars |
| 17802 | Green | On request | 6 m bars |
| 17802-30 | Green | Stock item | 30 m coils |

111

U-Profile

Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**
Standard





| Article-Nr. | Material | Availability | Supply |
|-------------|-----------------|--------------|------------|
| 11101BC | BluLub | Stock item | 3 m bars |
| 11101B | BluLub | On request | 6 m bars |
| 11101B-30 | BluLub | On request | 30 m coils |
| 11103C | Ti-White | On request | 3 m bars |
| 11103 | Ti-White | On request | 6 m bars |
| 11103-30 | Ti-White | On request | 30 m coils |
| 11101C | Black | Stock item | 3 m bars |
| 11101 | Black | Stock item | 6 m bars |
| 11101-30 | Black | Stock item | 30 m coils |
| 11105C | Blue | On request | 3 m bars |
| 11105 | Blue | On request | 6 m bars |
| 11105-30 | Blue | On request | 30 m coils |
| 11102C | Green | Stock item | 3 m bars |
| 11102 | Green | Stock item | 6 m bars |
| 11102-30 | Green | On request | 30 m coils |

1060 U-Profile

Coils available | Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**
Standard





| Article-Nr. | Material | Availability | Supply |
|-----------------|-----------------|--------------|----------|
| 106000BC | BluLub | On request | 3 m bars |
| 106000B | BluLub | On request | 6 m bars |
| 106003C | Ti-White | On request | 3 m bars |
| 106003 | Ti-White | On request | 6 m bars |
| 106001C | Black | Stock item | 3 m bars |
| 106001 | Black | On request | 6 m bars |
| 106005C | Blue | On request | 3 m bars |
| 106005 | Blue | On request | 6 m bars |
| 106002C | Green | Stock item | 3 m bars |
| 106002 | Green | Stock item | 6 m bars |

199 U-Profile

Coils available | Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**
Standard





| Article-Nr. | Material | Availability | Supply |
|-----------------|-----------------|--------------|----------|
| 19976BC | BluLub | On request | 3 m bars |
| 19976B | BluLub | On request | 6 m bars |
| 19976C | Ti-White | Stock item | 3 m bars |
| 19976 | Ti-White | On request | 6 m bars |
| 19976BLC | Blue | On request | 3 m bars |
| 19976BL | Blue | On request | 6 m bars |

199 U-Profile



Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**
Standard



| Article-Nr. | Material | Availability | Supply |
|-------------------|-----------------|--------------|------------|
| 19944B-30 | BluLub | Stock item | 30 m coils |
| 19944W-30 | Ti-White | On request | 30 m coils |
| 19944-30 | Black | On request | 30 m coils |
| 19944BL-30 | Blue | On request | 30 m coils |
| 19940-30 | Green | Stock item | 30 m coils |

Staggered version





| Article-Nr. | Material | Availability | Supply |
|-------------------|-----------------|--------------|------------|
| 19945B-30 | BluLub | Stock item | 30 m coils |
| 19945W-30 | Ti-White | On request | 30 m coils |
| 19945-30 | Black | Stock item | 30 m coils |
| 19945BL-30 | Blue | On request | 30 m coils |
| 19946-30 | Green | Stock item | 30 m coils |

1080 U-Profile

Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**
Standard





| Article-Nr. | Material | Availability | Supply |
|----------------|-----------------|--------------|----------|
| 108000C | BluLub | On request | 3 m bars |
| 108003C | Ti-White | On request | 3 m bars |
| 108001C | Black | On request | 3 m bars |
| 108005C | Blue | On request | 3 m bars |
| 108002C | Green | On request | 3 m bars |

1081 U-Profile

Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**
Standard





| Article-Nr. | Material | Availability | Supply |
|-----------------|-----------------|--------------|----------|
| 108100BC | BluLub | On request | 3 m bars |
| 108100B | BluLub | On request | 6 m bars |
| 108103C | Ti-White | On request | 3 m bars |
| 108103 | Ti-White | On request | 6 m bars |
| 108101C | Black | On request | 3 m bars |
| 108101 | Black | On request | 6 m bars |
| 108105C | Blue | On request | 3 m bars |
| 108105 | Blue | On request | 6 m bars |
| 108102C | Green | On request | 3 m bars |
| 108102 | Green | On request | 6 m bars |

133 U-Profile assembled clip-on

Material: **BluLub**, **Ti-White** and standard **UHMW-PE** + Stainless steel

Delivery: **Easy**
Standard





| Article-Nr. | Material | Metal | Availability | Supply |
|-----------------|-----------------|----------|--------------|----------|
| 13305BC | BluLub | AISI 304 | Stock item | 3 m bars |
| 13305B | BluLub | AISI 304 | On request | 6 m bars |
| 13307C | Ti-White | AISI 304 | On request | 3 m bars |
| 13307 | Ti-White | AISI 304 | On request | 6 m bars |
| 13303C | Black | AISI 304 | Stock item | 3 m bars |
| 13303 | Black | AISI 304 | On request | 6 m bars |
| 13303BLC | Blue | AISI 304 | On request | 3 m bars |
| 13303BL | Blue | AISI 304 | On request | 6 m bars |
| 13301C | Green | AISI 304 | Stock item | 3 m bars |
| 13301 | Green | AISI 304 | On request | 6 m bars |
| Article-Nr. | Material | Metal | Availability | Supply |
| 13306BC | BluLub | AISI 430 | Stock item | 3 m bars |
| 13306B | BluLub | AISI 430 | On request | 6 m bars |
| 13308C | Ti-White | AISI 430 | On request | 3 m bars |
| 13308 | Ti-White | AISI 430 | On request | 6 m bars |
| 13304C | Black | AISI 430 | Stock item | 3 m bars |
| 13304 | Black | AISI 430 | On request | 6 m bars |
| 13304BLC | Blue | AISI 430 | On request | 3 m bars |
| 13304BL | Blue | AISI 430 | On request | 6 m bars |
| 13302C | Green | AISI 430 | Stock item | 3 m bars |
| 13302 | Green | AISI 430 | On request | 6 m bars |

148 U-Profile assembled clip-on

Material: **BluLub**, **Ti-White** and standard **UHMW-PE** + Stainless steel

Delivery: **Easy**
Standard





| Article-Nr. | Material | Availability | Supply |
|----------------|-----------------|--------------|----------|
| 14801BC | BluLub | Stock item | 3 m bars |
| 14801B | BluLub | On request | 6 m bars |
| 14803C | Ti-White | Stock item | 3 m bars |
| 14803 | Ti-White | On request | 6 m bars |
| 14802C | Black | Stock item | 3 m bars |
| 14802 | Black | On request | 6 m bars |
| 14805C | Blue | On request | 3 m bars |
| 14805 | Blue | On request | 6 m bars |
| 14801C | Green | Stock item | 3 m bars |
| 14801 | Green | On request | 6 m bars |

157 U-Profile assembled clip-on

Material: **BluLub**, **Ti-White** and standard **UHMW-PE** + Stainless steel

Delivery: **Easy**
Standard





| Article-Nr. | Material | Metal | Availability | Supply |
|----------------|-----------------|----------|--------------|----------|
| 15700BC | BluLub | AISI 304 | On request | 3 m bars |
| 15700B | BluLub | AISI 304 | On request | 6 m bars |
| 15703C | Ti-White | AISI 304 | On request | 3 m bars |
| 15703 | Ti-White | AISI 304 | On request | 6 m bars |
| 15704C | Black | AISI 304 | On request | 3 m bars |
| 15704 | Black | AISI 304 | On request | 6 m bars |
| 15705C | Blue | AISI 304 | On request | 3 m bars |
| 15705 | Blue | AISI 304 | On request | 6 m bars |
| 15701C | Green | AISI 304 | Stock item | 3 m bars |
| 15701 | Green | AISI 304 | On request | 6 m bars |
| Article-Nr. | Material | Metal | Availability | Supply |
| 15706BC | BluLub | AISI 430 | On request | 3 m bars |
| 15706B | BluLub | AISI 430 | On request | 6 m bars |
| 15707C | Ti-White | AISI 430 | On request | 3 m bars |
| 15707 | Ti-White | AISI 430 | On request | 6 m bars |
| 15708C | Black | AISI 430 | On request | 3 m bars |
| 15708 | Black | AISI 430 | On request | 6 m bars |
| 15706C | Blue | AISI 430 | On request | 3 m bars |
| 15706 | Blue | AISI 430 | On request | 6 m bars |
| 15702C | Green | AISI 430 | Stock item | 3 m bars |
| 15702 | Green | AISI 430 | On request | 6 m bars |

157 U-Profile assembled clip-on

Material: **BluLub**, **Ti-White** and standard **UHMW-PE** + Stainless steel

Delivery: **Easy**
Standard





| Article-Nr. | Material | Metal | Availability | Supply |
|-----------------|-----------------|----------|--------------|----------|
| 15799BC | BluLub | AISI 304 | On request | 3 m bars |
| 15799WC | Ti-White | AISI 304 | On request | 3 m bars |
| 15799NC | Black | AISI 304 | On request | 3 m bars |
| 15799BLC | Blue | AISI 304 | On request | 3 m bars |
| 15799C | Green | AISI 304 | On request | 3 m bars |

118

Stainless steel profile for U-profile

Material: Stainless steel

Delivery: **Easy**
Standard





| Article-Nr. | Material | Availability | Supply |
|---------------|----------|--------------|----------|
| 11801C | AISI 304 | Stock item | 3 m bars |
| 11801 | AISI 304 | Stock item | 6 m bars |
| 11802C | AISI 430 | Stock item | 3 m bars |
| 11802 | AISI 430 | On request | 6 m bars |

112

Stainless steel profile for U-profile

Material: Stainless steel

Delivery: **Easy**
Standard





| Article-Nr. | Material | Availability | Supply |
|---------------|----------|--------------|----------|
| 11201C | AISI 304 | Stock item | 3 m bars |
| 11201 | AISI 304 | Stock item | 6 m bars |
| 11202C | AISI 430 | Stock item | 3 m bars |
| 11202 | AISI 430 | Stock item | 6 m bars |

147

Aluminum profile for U-profile

Material: Aluminum

Delivery: **Easy**
Standard





| Article-Nr. | Material | Availability | Supply |
|---------------|----------|--------------|----------|
| 14701C | Aluminum | Stock item | 3 m bars |
| 14701 | Aluminum | Stock item | 6 m bars |

1041

C-Profile

Fit on 25 x 5 mm | Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**
Standard





| Article-Nr. | Material | Availability | Supply |
|-----------------|-----------------|--------------|----------|
| 104100BC | BluLub | On request | 3 m bars |
| 104100B | BluLub | On request | 6 m bars |
| 104103C | Ti-White | Stock item | 3 m bars |
| 104103 | Ti-White | On request | 6 m bars |
| 104105C | Blue | On request | 3 m bars |
| 104105 | Blue | On request | 6 m bars |
| 104102C | Green | On request | 3 m bars |
| 104102 | Green | On request | 6 m bars |

1082 C-Profile

Fit on 38.1 x 6.35 mm | Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**
Standard





| Article-Nr. | Material | Availability | Supply |
|-----------------|-----------------|--------------|----------|
| 108200BC | BluLub | On request | 3 m bars |
| 108200B | BluLub | On request | 6 m bars |
| 108203C | Ti-White | On request | 3 m bars |
| 108203 | Ti-White | On request | 6 m bars |
| 108205C | Blue | On request | 3 m bars |
| 108205 | Blue | On request | 6 m bars |

1044 C-Profile

Fit on 38,1 x 12,7 mm | Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**
Standard





| Article-Nr. | Material | Availability | Supply |
|-----------------|-----------------|--------------|----------|
| 104400BC | BluLub | On request | 3 m bars |
| 104400B | BluLub | On request | 6 m bars |
| 104403C | Ti-White | Stock item | 3 m bars |
| 104403 | Ti-White | On request | 6 m bars |
| 104405C | Blue | On request | 3 m bars |
| 104405 | Blue | On request | 6 m bars |

1053 C-Profile

Fit on 38,1 x 6,35 mm | Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**
Standard





| Article-Nr. | Material | Availability | Supply |
|-----------------|-----------------|--------------|----------|
| 105300BC | BluLub | On request | 3 m bars |
| 105300B | BluLub | On request | 6 m bars |
| 105303C | Ti-White | Stock item | 3 m bars |
| 105303 | Ti-White | On request | 6 m bars |
| 105305C | Blue | On request | 3 m bars |
| 105305 | Blue | On request | 6 m bars |

1054 C-Profile

Fit on 38,1 x 6,35 mm | Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**
Standard





| Article-Nr. | Material | Availability | Supply |
|-----------------|-----------------|--------------|----------|
| 105400BC | BluLub | On request | 3 m bars |
| 105400B | BluLub | On request | 6 m bars |
| 105403C | Ti-White | Stock item | 3 m bars |
| 105403 | Ti-White | On request | 6 m bars |
| 105405C | Blue | On request | 3 m bars |
| 105405 | Blue | On request | 6 m bars |



137 C-Profile

Fit on 40 x 8 mm / 40 x 10 mm | Material: **BluLub**, **Ti-White** and standard **UHMW-PE**



Delivery: **Easy**
Standard



| Article-Nr. | Material | Availability | Supply |
|----------------|-----------------|--------------|----------|
| 13701BC | BluLub | Stock item | 3 m bars |
| 13701B | BluLub | On request | 6 m bars |
| 13703C | Ti-White | Stock item | 3 m bars |
| 13703 | Ti-White | On request | 6 m bars |
| 13702C | Black | Stock item | 3 m bars |
| 13702 | Black | On request | 6 m bars |
| 13705C | Blue | On request | 3 m bars |
| 13705 | Blue | On request | 6 m bars |
| 13701C | Green | Stock item | 3 m bars |
| 13701 | Green | Stock item | 6 m bars |



| Article-Nr. | Material | Availability | Supply |
|----------------|-----------------|--------------|----------|
| 13711BC | BluLub | Stock item | 3 m bars |
| 13711B | BluLub | On request | 6 m bars |
| 13713C | Ti-White | On request | 3 m bars |
| 13713 | Ti-White | On request | 6 m bars |
| 13712C | Black | On request | 3 m bars |
| 13712 | Black | On request | 6 m bars |
| 13715C | Blue | On request | 3 m bars |
| 13715 | Blue | On request | 6 m bars |
| 13711C | Green | Stock item | 3 m bars |
| 13711 | Green | Stock item | 6 m bars |





| Article-Nr. | Material | Availability | Supply |
|----------------|-----------------|--------------|----------|
| 13720BC | BluLub | On request | 3 m bars |
| 13720B | BluLub | On request | 6 m bars |
| 13720C | Ti-White | On request | 3 m bars |
| 13720 | Ti-White | On request | 6 m bars |
| 13725C | Blue | On request | 3 m bars |
| 13725 | Blue | On request | 6 m bars |

1042 C-Profile

Fit on 50 x 6 mm | Material: **BluLub, Ti-White** and standard **UHMW-PE**

Delivery: **Easy**
Standard





| Article-Nr. | Material | Availability | Supply |
|-------------|-----------------|--------------|----------|
| 104200BC | BluLub | On request | 3 m bars |
| 104200B | BluLub | On request | 6 m bars |
| 104203C | Ti-White | Stock item | 3 m bars |
| 104203 | Ti-White | On request | 6 m bars |
| 104205C | Blue | On request | 3 m bars |
| 104205 | Blue | On request | 6 m bars |
| 104201C | Green | On request | 3 m bars |
| 104201 | Green | On request | 6 m bars |

1045 C-Profile

Fit on 50,8 x 12,7 mm | Material: **BluLub, Ti-White** and standard **UHMW-PE**

Delivery: **Easy**
Standard





| Article-Nr. | Material | Availability | Supply |
|-------------|-----------------|--------------|----------|
| 104500BC | BluLub | On request | 3 m bars |
| 104500B | BluLub | On request | 6 m bars |
| 104503C | Ti-White | On request | 3 m bars |
| 104503 | Ti-White | On request | 6 m bars |
| 104505C | Blue | On request | 3 m bars |
| 104505 | Blue | On request | 6 m bars |

158 C-Profile

Fit on 50 x 6 mm | Material: **BluLub, Ti-White** and standard **UHMW-PE**

Delivery: **Easy**
Standard









| Article-Nr. | Material | Availability | Supply |
|-------------|-----------------|--------------|----------|
| 15800BC | BluLub | Stock item | 3 m bars |
| 15894C | Ti-White | On request | 3 m bars |
| 15898C | Black | Stock item | 3 m bars |
| 15894BLC | Blue | On request | 3 m bars |
| 15897C | Green | Stock item | 3 m bars |
| 15800C | Grey | Stock item | 3 m bars |

163 C-Profile


Coils available | Material: *BluLub, Ti-White* and standard *UHMW-PE*

Delivery: **Easy**
Standard



| Article-Nr. | Material | A | Availability | Supply |
|-------------------|-----------------|-------|--------------|------------|
| 16303BC | <i>BluLub</i> | 25,4 | Stock item | 3 m bars |
| 16303B | <i>BluLub</i> | 25,4 | On request | 6 m bars |
| 16303B-30 | <i>BluLub</i> | 25,4 | Stock item | 30 m coils |
| 16313BC | <i>BluLub</i> | 31,75 | On request | 3 m bars |
| 16313B | <i>BluLub</i> | 31,75 | On request | 6 m bars |
| 16313B-30 | <i>BluLub</i> | 31,75 | On request | 30 m coils |
| 16323BC | <i>BluLub</i> | 35 | On request | 3 m bars |
| 16323B | <i>BluLub</i> | 35 | On request | 6 m bars |
| 16323B-30 | <i>BluLub</i> | 35 | On request | 30 m coils |
| 16324BC | <i>BluLub</i> | 38,1 | On request | 3 m bars |
| 16324B | <i>BluLub</i> | 38,1 | On request | 6 m bars |
| 16324B-30 | <i>BluLub</i> | 38,1 | On request | 30 m coils |
| 16325BC | <i>BluLub</i> | 54,1 | On request | 3 m bars |
| 16325B | <i>BluLub</i> | 54,1 | On request | 6 m bars |
| 16325B-30 | <i>BluLub</i> | 54,1 | On request | 30 m coils |
| 16303C | <i>Ti-White</i> | 25,4 | Stock item | 3 m bars |
| 16303 | <i>Ti-White</i> | 25,4 | On request | 6 m bars |
| 16303-30 | <i>Ti-White</i> | 25,4 | Stock item | 30 m coils |
| 16313C | <i>Ti-White</i> | 31,75 | Stock item | 3 m bars |
| 16313 | <i>Ti-White</i> | 31,75 | On request | 6 m bars |
| 16313-30 | <i>Ti-White</i> | 31,75 | On request | 30 m coils |
| 16323C | <i>Ti-White</i> | 35 | Stock item | 3 m bars |
| 16323 | <i>Ti-White</i> | 35 | On request | 6 m bars |
| 16323-30 | <i>Ti-White</i> | 35 | On request | 30 m coils |
| 16324C | <i>Ti-White</i> | 38,1 | Stock item | 3 m bars |
| 16324 | <i>Ti-White</i> | 38,1 | Stock item | 6 m bars |
| 16324-30 | <i>Ti-White</i> | 38,1 | On request | 30 m coils |
| 16325C | <i>Ti-White</i> | 54,1 | On request | 3 m bars |
| 16325 | <i>Ti-White</i> | 54,1 | On request | 6 m bars |
| 16325-30 | <i>Ti-White</i> | 54,1 | On request | 30 m coils |
| 16303BLC | Blue | 25,4 | On request | 3 m bars |
| 16303BL | Blue | 25,4 | On request | 6 m bars |
| 16303BL-30 | Blue | 25,4 | On request | 30 m coils |
| 16313BLC | Blue | 31,75 | On request | 3 m bars |
| 16313BL | Blue | 31,75 | On request | 6 m bars |
| 16313BL-30 | Blue | 31,75 | On request | 30 m coils |
| 16323BLC | Blue | 35 | On request | 3 m bars |
| 16323BL | Blue | 35 | On request | 6 m bars |
| 16323BL-30 | Blue | 35 | On request | 30 m coils |
| 16324BLC | Blue | 38,1 | On request | 3 m bars |
| 16324BL | Blue | 38,1 | On request | 6 m bars |
| 16324BL-30 | Blue | 38,1 | On request | 30 m coils |
| 16325BLC | Blue | 54,1 | On request | 3 m bars |
| 16325BL | Blue | 54,1 | On request | 6 m bars |
| 16325BL-30 | Blue | 54,1 | On request | 30 m coils |



Used with
PART 164/165
Pag 45



160 C-Profile


Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**
Standard



| Article-Nr. | Material | Availability | Supply |
|-------------|-----------------|--------------|------------|
| 16003BC | BluLub | Stock item | 3 m bars |
| 16003B | BluLub | On request | 6 m bars |
| 16003B-30 | BluLub | Stock item | 30 m coils |
| 16003C | Ti-White | Stock item | 3 m bars |
| 16003 | Ti-White | Stock item | 6 m bars |
| 16003-30 | Ti-White | Stock item | 30 m coils |
| 16005C | Blue | On request | 3 m bars |
| 16005 | Blue | On request | 6 m bars |
| 16005-30 | Blue | On request | 30 m coils |



Used with
PART 164/165
Pag 45



161 C-Profile


Coils available | Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**
Standard



| Article-Nr. | Material | Availability | Supply |
|-------------|-----------------|--------------|------------|
| 16103BC | BluLub | On request | 3 m bars |
| 16103B | BluLub | On request | 6 m bars |
| 16103B-30 | BluLub | Stock item | 30 m coils |
| 16103C | Ti-White | Stock item | 3 m bars |
| 16103 | Ti-White | Stock item | 6 m bars |
| 16103-30 | Ti-White | Stock item | 30 m coils |
| 16105C | Blue | On request | 3 m bars |
| 16105 | Blue | On request | 6 m bars |
| 16105-30 | Blue | On request | 30 m coils |



Used with
PART 164/165
Pag 45



162 C-Profile


Coils available | Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**
Standard



| Article-Nr. | Material | Availability | Supply |
|-------------|-----------------|--------------|------------|
| 16202BC | BluLub | Stock item | 3 m bars |
| 16202B | BluLub | On request | 6 m bars |
| 16202B-30 | BluLub | Stock item | 30 m coils |
| 16203C | Ti-White | Stock item | 3 m bars |
| 16203 | Ti-White | On request | 6 m bars |
| 16203-30 | Ti-White | Stock item | 30 m coils |
| 16205C | Blue | On request | 3 m bars |
| 16205 | Blue | On request | 6 m bars |
| 16205-30 | Blue | On request | 30 m coils |
| 16202C | Green | Stock item | 3 m bars |
| 16202 | Green | On request | 6 m bars |
| 16202-30 | Green | Stock item | 30 m coils |



Used with
PART 164/165
Pag 45



164 Aluminum guide

Material: Aluminum

Delivery: **Easy**
Standard





| Article-Nr. | Material | Availability | Supply |
|---------------|----------|--------------|----------|
| 16401C | Aluminum | Stock item | 3 m bars |
| 16401 | Aluminum | Stock item | 6 m bars |

165 Aluminum guide

Material: Aluminum

Delivery: **Easy**
Standard





| Article-Nr. | Material | Availability | Supply |
|---------------|----------|--------------|----------|
| 16501C | Aluminum | Stock item | 3 m bars |
| 16501 | Aluminum | Stock item | 6 m bars |

1039 C-Profile for steel rods

Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**
Standard





| Article-Nr. | Material | Availability | Supply |
|-------------------|-----------------|--------------|------------|
| 103923BC | BluLub | On request | 3 m bars |
| 103923B | BluLub | On request | 6 m bars |
| 103923B-30 | BluLub | Stock item | 30 m coils |
| 103923B-60 | BluLub | On request | 60 m coils |
| 103923C | Ti-White | Stock item | 3 m bars |
| 103923 | Ti-White | On request | 6 m bars |
| 103923-30 | Ti-White | Stock item | 30 m coils |
| 103923-60 | Ti-White | Stock item | 60 m coils |
| 103925C | Blue | On request | 3 m bars |
| 103925 | Blue | On request | 6 m bars |
| 103925-30 | Blue | On request | 30 m coils |
| 103925-60 | Blue | On request | 60 m coils |

1083 C-Profile for steel rods

Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**
Standard





| Article-Nr. | Material | Availability | Supply |
|-------------------|-----------------|--------------|------------|
| 108300BC | BluLub | On request | 3 m bars |
| 108300B | BluLub | On request | 6 m bars |
| 108300B-30 | BluLub | On request | 30 m coils |
| 108300B-60 | BluLub | On request | 60 m coils |
| 108303C | Ti-White | On request | 3 m bars |
| 108303 | Ti-White | On request | 6 m bars |
| 108303-30 | Ti-White | On request | 30 m coils |
| 108303-60 | Ti-White | On request | 60 m coils |
| 108305C | Blue | On request | 3 m bars |
| 108305 | Blue | On request | 6 m bars |
| 108305-30 | Blue | On request | 30 m coils |
| 108305-60 | Blue | On request | 60 m coils |

166 C-Profile for steel rods

Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**
Standard





| Article-Nr. | A | B | C | Material | Availability | Supply |
|----------------|----|----|-----|-----------------|--------------|------------|
| 16601B | 8 | 12 | 0.5 | BluLub | Stock item | 30 m coils |
| 16602B | 10 | 14 | 0.5 | BluLub | On request | 30 m coils |
| 16603B | 12 | 16 | 1 | BluLub | On request | 30 m coils |
| 16604B | 16 | 20 | 1.5 | BluLub | On request | 30 m coils |
| 16601 | 8 | 12 | 0.5 | Ti-White | Stock item | 30 m coils |
| 16602 | 10 | 14 | 0.5 | Ti-White | Stock item | 30 m coils |
| 16603 | 12 | 16 | 1 | Ti-White | Stock item | 30 m coils |
| 16604 | 16 | 20 | 1.5 | Ti-White | Stock item | 30 m coils |
| 16601BL | 8 | 12 | 0.5 | Blue | On request | 30 m coils |
| 16602BL | 10 | 14 | 0.5 | Blue | On request | 30 m coils |
| 16603BL | 12 | 16 | 1 | Blue | On request | 30 m coils |
| 16604BL | 16 | 20 | 1.5 | Blue | On request | 30 m coils |

154 Side guide rail

Material: **BluLub**, **Ti-White** and standard **UHMW-PE** + Aluminum

Delivery: **Easy**
Standard



| Article-Nr. | Material | Availability | Supply |
|----------------|-----------------|--------------|----------|
| 15401BC | BluLub | Stock item | 3 m bars |
| 15401B | BluLub | On request | 6 m bars |
| 15401C | Ti-White | On request | 3 m bars |
| 15401 | Ti-White | On request | 6 m bars |
| 15405C | Blue | On request | 3 m bars |
| 15405 | Blue | On request | 6 m bars |
| 15402C | Green | On request | 3 m bars |
| 15402 | Green | On request | 6 m bars |



Only plastic profile

| Article-Nr. | Material | Availability | Supply |
|------------------|-----------------|--------------|------------|
| 15451B-30 | BluLub | On request | 30 m coils |
| 15451-30 | Ti-White | On request | 30 m coils |
| 15455-30 | Blue | On request | 30 m coils |
| 15452-30 | Green | On request | 30 m coils |

155 Side guide rail

Material: **BluLub**, **Ti-White** and standard **UHMW-PE** + Aluminum

Delivery: **Easy**
Standard



| Article-Nr. | Material | Availability | Supply |
|----------------|-----------------|--------------|----------|
| 15500BC | BluLub | On request | 3 m bars |
| 15503C | Ti-White | On request | 3 m bars |
| 15505C | Blue | On request | 3 m bars |
| 15501C | Green | On request | 3 m bars |



Only plastic profile

| Article-Nr. | Material | Availability | Supply |
|------------------|-----------------|--------------|------------|
| 15550B-30 | BluLub | On request | 30 m coils |
| 15553-30 | Ti-White | On request | 30 m coils |
| 15555-30 | Blue | On request | 30 m coils |
| 15551-30 | Green | On request | 30 m coils |

134 Side guide rail

Material: **BluLub**, **Ti-White** and standard **UHMW-PE** + Stainless steel AISI 304

Delivery: **Easy**
Standard



| Article-Nr. | Material | Availability | Supply |
|----------------|-----------------|--------------|----------|
| 13400BC | BluLub | On request | 3 m bars |
| 13400B | BluLub | On request | 6 m bars |
| 13403C | Ti-White | On request | 3 m bars |
| 13403 | Ti-White | On request | 6 m bars |
| 13405C | Blue | On request | 3 m bars |
| 13405 | Blue | On request | 6 m bars |
| 13401C | Green | Stock item | 3 m bars |
| 13401 | Green | On request | 6 m bars |



Only plastic profile

| Article-Nr. | Material | Availability | Supply |
|------------------|-----------------|--------------|------------|
| 13450B-30 | BluLub | On request | 30 m coils |
| 13453-30 | Ti-White | On request | 30 m coils |
| 13455-30 | Blue | On request | 30 m coils |
| 13451-30 | Green | On request | 30 m coils |

199 Transfer plate

Fit on 3 mm | Material: **BluLub** and standard **UHMW-PE**

Delivery: **Easy**
Standard





| Article-Nr. | Material | Availability | Supply |
|---------------|---------------|--------------|------------|
| 19960B | BluLub | Stock item | 1,5 m bars |
| 19960 | Black | Stock item | 1,5 m bars |


238-228-235 Nosebar

Material: **BluLub**


Delivery: **Easy**
Standard



| Article-Nr. | Material | Availability | Supply |
|----------------|---------------|--------------|------------|
| 2381500 | BluLub | On request | 1,5 m bars |



| Article-Nr. | Material | Availability | Supply |
|----------------|---------------|--------------|------------|
| 2281500 | BluLub | On request | 1,5 m bars |





| Article-Nr. | Material | Availability | Supply |
|----------------|---------------|--------------|------------|
| 2351500 | BluLub | On request | 1,5 m bars |

1000 Bar cap

Fit on 1,5 mm (1/16") | Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**
Standard





| Article-Nr. | Material | Availability | Supply |
|-------------|-----------------|--------------|------------|
| 100000B-30 | BluLub | On request | 30 m coils |
| 100003-30 | Ti-White | Stock item | 30 m coils |
| 100005-30 | Blue | On request | 30 m coils |

1001 Bar cap

Fit on 1,5 mm (1/16") | Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**
Standard





| Article-Nr. | Material | Availability | Supply |
|-------------|-----------------|--------------|------------|
| 100103B-30 | BluLub | Stock item | 30 m coils |
| 100103-30 | Ti-White | Stock item | 30 m coils |
| 100105-30 | Blue | On request | 30 m coils |

1002 Bar cap

Fit on 3 mm (1/8") | Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**
Standard





| Article-Nr. | Material | Availability | Supply |
|-------------|-----------------|--------------|------------|
| 100200B-30 | BluLub | On request | 30 m coils |
| 100203-30 | Ti-White | Stock item | 30 m coils |
| 100205-30 | Blue | On request | 30 m coils |

1003 Bar cap

Fit on 3 mm (1/8") | Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**
Standard





| Article-Nr. | Material | Availability | Supply |
|-------------|-----------------|--------------|------------|
| 100300B-30 | BluLub | On request | 30 m coils |
| 100303-30 | Ti-White | Stock item | 30 m coils |
| 100305-30 | Blue | On request | 30 m coils |

1004 Bar cap

Fit on 3 mm | Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**
Standard





| Article-Nr. | Material | Availability | Supply |
|-------------|-----------------|--------------|------------|
| 100400B-30 | BluLub | On request | 30 m coils |
| 100403-30 | Ti-White | Stock item | 30 m coils |
| 100405-30 | Blue | On request | 30 m coils |

1084 Bar cap

Fit on 3 mm (1/8") | Material: **BluLub, Ti-White** and standard **UHMW-PE**

Delivery: **Easy**
Standard





| Article-Nr. | Material | Availability | Supply |
|-------------------|-----------------|--------------|------------|
| 108400BC | BluLub | On request | 3 m bars |
| 108400B | BluLub | On request | 6 m bars |
| 108400B-30 | BluLub | On request | 30 m coils |
| 108403C | Ti-White | On request | 3 m bars |
| 108403 | Ti-White | On request | 6 m bars |
| 108403-30 | Ti-White | On request | 30 m coils |
| 108405C | Blue | On request | 3 m bars |
| 108405 | Blue | On request | 6 m bars |
| 108405-30 | Blue | On request | 30 m coils |

1085 Bar cap

Fit on 3 mm (1/8") | Material: **BluLub, Ti-White** and standard **UHMW-PE**

Delivery: **Easy**
Standard





| Article-Nr. | Material | Availability | Supply |
|-------------------|-----------------|--------------|------------|
| 108500BC | BluLub | On request | 3 m bars |
| 108500B | BluLub | On request | 6 m bars |
| 108500B-30 | BluLub | On request | 30 m coils |
| 108503C | Ti-White | On request | 3 m bars |
| 108503 | Ti-White | On request | 6 m bars |
| 108503-30 | Ti-White | On request | 30 m coils |
| 108505C | Blue | On request | 3 m bars |
| 108505 | Blue | On request | 6 m bars |
| 108505-30 | Blue | On request | 30 m coils |

153 Bar cap

Fit on 4/5 mm (3/16") | Material: **BluLub, Ti-White** and standard **UHMW-PE**

Delivery: **Easy**
Standard





| Article-Nr. | Material | Availability | Supply |
|-----------------|-----------------|--------------|------------|
| 15300C | BluLub | Stock item | 3 m bars |
| 15300 | BluLub | On request | 6 m bars |
| 15300-30 | BluLub | Stock item | 30 m coils |
| 15303C | Ti-White | Stock item | 3 m bars |
| 15303 | Ti-White | On request | 6 m bars |
| 15303-30 | Ti-White | Stock item | 30 m coils |
| 15305C | Blue | On request | 3 m bars |
| 15305 | Blue | On request | 6 m bars |
| 15305-30 | Blue | On request | 30 m coils |
| 15302C | Green | Stock item | 3 m bars |
| 15302 | Green | On request | 6 m bars |
| 15302-30 | Green | On request | 30 m coils |

1006 Bar cap

Fit on 5 mm (3/16") | Material: **BluLub, Ti-White** and standard **UHMW-PE**

Delivery: **Easy**
Standard





| Article-Nr. | Material | Availability | Supply |
|-------------------|-----------------|--------------|------------|
| 100600B-30 | BluLub | On request | 30 m coils |
| 100603-30 | Ti-White | Stock item | 30 m coils |
| 100605-30 | Blue | On request | 30 m coils |

1007 Bar cap

Fit on 5 mm (3/16") | Material: **BluLub, Ti-White** and standard **UHMW-PE**

Delivery: **Easy**
Standard





| Article-Nr. | Material | Availability | Supply |
|-------------|-----------------|--------------|----------|
| 100703BC | BluLub | Stock item | 3 m bars |
| 100703B | BluLub | On request | 6 m bars |
| 100703C | Ti-White | Stock item | 3 m bars |
| 100703 | Ti-White | On request | 6 m bars |
| 100705C | Blue | On request | 3 m bars |
| 100705 | Blue | On request | 6 m bars |

1040 Bar cap

Fit on 3 mm (1/8") | Material: **BluLub, Ti-White** and standard **UHMW-PE**

Delivery: **Easy**
Standard





| Article-Nr. | Material | Availability | Supply |
|-------------|-----------------|--------------|----------|
| 104000BC | BluLub | On request | 3 m bars |
| 104000B | BluLub | On request | 6 m bars |
| 104003C | Ti-White | Stock item | 3 m bars |
| 104003 | Ti-White | On request | 6 m bars |
| 104005C | Blue | On request | 3 m bars |
| 104005 | Blue | On request | 6 m bars |

1008 Bar cap

Fit on 5 mm (3/16") | Material: **BluLub, Ti-White** and standard **UHMW-PE**

Delivery: **Easy**
Standard





| Article-Nr. | Material | Availability | Supply |
|-------------|-----------------|--------------|----------|
| 100803BC | BluLub | Stock item | 3 m bars |
| 100803B | BluLub | On request | 6 m bars |
| 100803C | Ti-White | Stock item | 3 m bars |
| 100803 | Ti-White | Stock item | 6 m bars |
| 100805C | Blue | On request | 3 m bars |
| 100805 | Blue | On request | 6 m bars |

1009 Bar cap

Fit on 6 mm (1/4") | Material: **BluLub, Ti-White** and standard **UHMW-PE**

Delivery: **Easy**
Standard





| Article-Nr. | Material | Availability | Supply |
|-------------|-----------------|--------------|------------|
| 100900B-30 | BluLub | On request | 30 m coils |
| 100903-30 | Ti-White | Stock item | 30 m coils |
| 100905-30 | Blue | On request | 30 m coils |

1010 Bar cap

Fit on 6 mm (1/4") | Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**
Standard





| Article-Nr. | Material | Availability | Supply |
|-------------------|-----------------|--------------|------------|
| 101000B-30 | BluLub | On request | 30 m coils |
| 101003-30 | Ti-White | Stock item | 30 m coils |
| 101005-30 | Blue | On request | 30 m coils |

1086 Bar cap

Fit on 8 mm (5/16") | Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**
Standard





| Article-Nr. | Material | Availability | Supply |
|-------------------|-----------------|--------------|------------|
| 108600B-30 | BluLub | On request | 30 m coils |
| 108603-30 | Ti-White | On request | 30 m coils |
| 108605-30 | Blue | On request | 30 m coils |

1011 Bar cap

Fit on 10 mm (3/8") | Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**
Standard





| Article-Nr. | Material | Availability | Supply |
|-------------------|-----------------|--------------|------------|
| 101100B-30 | BluLub | On request | 30 m coils |
| 101103-30 | Ti-White | On request | 30 m coils |
| 101105-30 | Blue | On request | 30 m coils |

1013 Bar cap

Fit on 10 mm (3/8") | Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**
Standard





| Article-Nr. | Material | Availability | Supply |
|-----------------|-----------------|--------------|----------|
| 101300BC | BluLub | On request | 3 m bars |
| 101300B | BluLub | On request | 6 m bars |
| 101303C | Ti-White | On request | 3 m bars |
| 101303 | Ti-White | On request | 6 m bars |
| 101305C | Blue | On request | 3 m bars |
| 101305 | Blue | On request | 6 m bars |

1012 Bar cap

Fit on 12/13 mm (1/2") | Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**
Standard





| Article-Nr. | Material | Availability | Supply |
|-------------|-----------------|--------------|------------|
| 101200B-30 | BluLub | On request | 30 m coils |
| 101203-30 | Ti-White | Stock item | 30 m coils |
| 101205-30 | Blue | On request | 30 m coils |

181 Bar cover

Fit on 25,4 x 25,4 mm (1" x 1") | Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**
Standard





| Article-Nr. | Material | Availability | Supply |
|-------------|-----------------|--------------|----------|
| 18100BC | BluLub | On request | 3 m bars |
| 18100B | BluLub | On request | 6 m bars |
| 18103C | Ti-White | Stock item | 3 m bars |
| 18103 | Ti-White | On request | 6 m bars |
| 18105C | Blue | On request | 3 m bars |
| 18105 | Blue | On request | 6 m bars |

1052 Bar cover

Fit on 38,1 x 50,8 mm (1-1/2" x 2") | Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**
Standard





| Article-Nr. | Material | Availability | Supply |
|-------------|-----------------|--------------|----------|
| 105200BC | BluLub | On request | 3 m bars |
| 105200B | BluLub | On request | 6 m bars |
| 105203C | Ti-White | Stock item | 3 m bars |
| 105203 | Ti-White | On request | 6 m bars |
| 105205C | Blue | On request | 3 m bars |
| 105205 | Blue | On request | 6 m bars |

180 Bar cover

Fit on 30,5 x 46 mm | Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**
Standard





| Article-Nr. | Material | Availability | Supply |
|-------------|-----------------|--------------|----------|
| 18000BC | BluLub | On request | 3 m bars |
| 18000B | BluLub | On request | 6 m bars |
| 18003C | Ti-White | On request | 3 m bars |
| 18003 | Ti-White | On request | 6 m bars |
| 18005C | Blue | On request | 3 m bars |
| 18005 | Blue | On request | 6 m bars |


1063 Side guide rail - H. 50 mm

Fit on 30 x 4 mm | Material: **BluLub** and standard **UHMW-PE**

Delivery: **Easy**
Standard





| Article-Nr. | Material | Availability | Supply |
|-----------------|---------------|--------------|----------|
| 106300BC | BluLub | On request | 3 m bars |
| 106301C | Black | Stock item | 3 m bars |
| 106302C | Green | Stock item | 3 m bars |






137 Side guide rail - H. 50 mm

Fit on 40 x 8 mm | Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**
Standard





| Article-Nr. | Material | Availability | Supply |
|----------------|-----------------|--------------|----------|
| 13701BC | BluLub | Stock item | 3 m bars |
| 13701B | BluLub | On request | 6 m bars |
| 13703C | Ti-White | Stock item | 3 m bars |
| 13703 | Ti-White | On request | 6 m bars |
| 13702C | Black | Stock item | 3 m bars |
| 13702 | Black | On request | 6 m bars |
| 13705C | Blue | On request | 3 m bars |
| 13705 | Blue | On request | 6 m bars |
| 13701C | Green | Stock item | 3 m bars |
| 13701 | Green | Stock item | 6 m bars |





137 Side guide rail - H. 50 mm

Fit on 40 x 10 mm | Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**
Standard





| Article-Nr. | Material | Availability | Supply |
|----------------|-----------------|--------------|----------|
| 13711BC | BluLub | Stock item | 3 m bars |
| 13711B | BluLub | On request | 6 m bars |
| 13713C | Ti-White | On request | 3 m bars |
| 13713 | Ti-White | On request | 6 m bars |
| 13712C | Black | On request | 3 m bars |
| 13712 | Black | On request | 6 m bars |
| 13715C | Blue | On request | 3 m bars |
| 13715 | Blue | On request | 6 m bars |
| 13711C | Green | Stock item | 3 m bars |
| 13711 | Green | Stock item | 6 m bars |





158 Side guide rail - H. 60 mm

Fit on 50 x 6 mm | Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**
Standard





| Article-Nr. | Material | Availability | Supply |
|-----------------|-----------------|--------------|----------|
| 15800BC | BluLub | Stock item | 3 m bars |
| 15894C | Ti-White | On request | 3 m bars |
| 15898C | Black | Stock item | 3 m bars |
| 15894BLC | Blue | On request | 3 m bars |
| 15897C | Green | Stock item | 3 m bars |
| 15800C | Grey | Stock item | 3 m bars |




1064 Side guide rail - H. 70 mm

Fit on 55 x 4 mm | Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**
Standard





| Article-Nr. | Material | Availability | Supply |
|-----------------|-----------------|--------------|----------|
| 106400BC | BluLub | On request | 3 m bars |
| 106403C | Ti-White | On request | 3 m bars |
| 106401C | Black | Stock item | 3 m bars |
| 106405C | Blue | On request | 3 m bars |






183 Side guide rail - H. 80 mm

Fit one 40 x 8 mm | Material: **BluLub** and standard **UHMW-PE**

Delivery: **Easy**
Standard





| Article-Nr. | Material | Availability | Supply |
|----------------|---------------|--------------|----------|
| 18301BC | BluLub | Stock item | 3 m bars |
| 18301C | Black | Stock item | 3 m bars |
| 18305C | Blue | On request | 3 m bars |
| 18397C | Green | Stock item | 3 m bars |




158 Side guide rail - H. 90 - 100 - 120 - 140 mm

Fit on 50 x 6 mm | Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**
Standard





| Article-Nr. | A | B | Material | Availability | Supply |
|-----------------|-----|----|-----------------|--------------|----------|
| 15801BC | 90 | 45 | BluLub | Stock item | 3 m bars |
| 15802BC | 100 | 50 | BluLub | Stock item | 3 m bars |
| 15803BC | 120 | 60 | BluLub | Stock item | 3 m bars |
| 15804BC | 140 | 70 | BluLub | On request | 3 m bars |
| 15831C | 90 | 45 | Ti-White | On request | 3 m bars |
| 18532C | 100 | 50 | Ti-White | On request | 3 m bars |
| 15833C | 120 | 60 | Ti-White | On request | 3 m bars |
| 15834C | 140 | 70 | Ti-White | On request | 3 m bars |
| 15801BLC | 90 | 45 | Blue | On request | 3 m bars |
| 15802BLC | 100 | 50 | Blue | On request | 3 m bars |
| 15803BLC | 120 | 60 | Blue | On request | 3 m bars |
| 15804BLC | 140 | 70 | Blue | On request | 3 m bars |
| 15801C | 90 | 45 | Grey | Stock item | 3 m bars |
| 15802C | 100 | 50 | Grey | Stock item | 3 m bars |
| 15803C | 120 | 60 | Grey | Stock item | 3 m bars |
| 15804C | 140 | 70 | Grey | On request | 3 m bars |




194 Side guide rail with Label saver - H. 90 - 120 mm

Fit on 50 x 6 mm | Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**
Standard





| Article-Nr. | A | B | Material | Availability | Supply |
|-----------------|-----|----|-----------------|--------------|----------|
| 19400BC | 90 | 45 | BluLub | Stock item | 3 m bars |
| 19403BC | 120 | 60 | BluLub | Stock item | 3 m bars |
| 19430C | 90 | 45 | Ti-White | On request | 3 m bars |
| 19433C | 120 | 60 | Ti-White | On request | 3 m bars |
| 19400BLC | 90 | 45 | Blue | On request | 3 m bars |
| 19403BLC | 120 | 60 | Blue | On request | 3 m bars |
| 19400C | 90 | 45 | Grey | On request | 3 m bars |
| 19403C | 120 | 60 | Grey | On request | 3 m bars |






189 Side guide rail - H. 136 mm

Fit on 40 x 8 mm | Material: **BluLub** and standard **UHMW-PE**



Delivery: **Easy**
Standard






| Article-Nr. | Material | Availability | Supply |
|-----------------|---------------|--------------|----------|
| 18912BC | BluLub | Stock item | 3 m bars |
| 18912BLC | Blue | On request | 3 m bars |
| 18916C | Grey | On request | 3 m bars |



Side guide rail with Label saver - H. 136 mm




| Article-Nr. | Material | Availability | Supply |
|-----------------|---------------|--------------|----------|
| 18910BC | BluLub | Stock item | 3 m bars |
| 18910BLC | Blue | On request | 3 m bars |
| 18914C | Grey | Stock item | 3 m bars |





Easy Bendable

For the grooved version, just add "S" to the related Article Nr.



Side guide rail with Label saver - H. 136 mm



| Article-Nr. | Material | Availability | Supply |
|-----------------|---------------|--------------|----------|
| 18911BC | BluLub | Stock item | 3 m bars |
| 18911BLC | Blue | On request | 3 m bars |
| 18915C | Grey | On request | 3 m bars |

Plate
40 x 8 mm

Valid also for **RS** version

Option of application - Plate

PART 117
Pag 71

Valid also for **RS** version

Option of application - M-Profile

PART 1055
Pag 71

Valid also for **RS** version



Option of application - Guide

1079 **RS** Side guide rail with Label saver - H. 136 mm


Fit on 40 x 8 mm | Material: **BluLub** + standard **UHMW-PE**

Delivery: **Easy**
Standard

| Article-Nr. | Version | Material | Availability | Supply |
|---------------|---------|----------------------|--------------|----------|
| 107900 | A | Black+ BluLub | On request | 3 m bars |
| 107901 | B | Black+ BluLub | On request | 3 m bars |



VERSION A - Label saver 2 cm



VERSION B - Label saver 4 cm

Base profile

| Art-Nr. | Supply |
|--------------|----------|
| 18980 | 3 m bars |

Label saver 2 cm


| Art-Nr. | Supply |
|--------------|------------|
| 18987 | 30 m coils |

Label saver 4 cm

| Art-Nr. | Supply |
|--------------|------------|
| 18988 | 30 m coils |

Single components



Easy Bendable
For the grooved version, just add "-S" to the related Article Nr.





189 Side guide rail - H. 140 mm

Fit on 50 x 6 mm | Material: **BluLub** and standard **UHMW-PE**



Delivery: **Easy**
Standard






| Article-Nr. | Material | Availability | Supply |
|-----------------|---------------|--------------|----------|
| 18902BC | BluLub | Stock item | 3 m bars |
| 18902BLC | Blue | On request | 3 m bars |
| 18906C | Grey | On request | 3 m bars |





Side guide rail with Label saver - H. 140 mm





| Article-Nr. | Material | Availability | Supply |
|-----------------|---------------|--------------|----------|
| 18900BC | BluLub | Stock item | 3 m bars |
| 18900BLC | Blue | On request | 3 m bars |
| 18904C | Grey | Stock item | 3 m bars |




Side guide rail with Label saver - H. 140 mm



| Article-Nr. | Material | Availability | Supply |
|-----------------|---------------|--------------|----------|
| 18901BC | BluLub | Stock item | 3 m bars |
| 18901BLC | Blue | On request | 3 m bars |
| 18905C | Grey | On request | 3 m bars |





Easy Bendable
For the grooved version, just add "-S" to the related Article Nr.




135 Side guide rail - H. 78 mm

Fit on 60 x 6 mm | Material: Standard **UHMW-PE**

Delivery: **Easy**
Standard





| Article-Nr. | Material | Availability | Supply |
|---------------|---------------|--------------|----------|
| 13501C | Black | Stock item | 3 m bars |
| 13501 | Black | Stock item | 6 m bars |
| 13502C | Blue RAL 5012 | Stock item | 3 m bars |
| 13502 | Blue RAL 5012 | Stock item | 6 m bars |




136 Side guide rail - H. 87 mm

Fit on 60 x 6 mm | Material: **BluLub** and standard **UHMW-PE**

Delivery: **Easy**
Standard





| Article-Nr. | Material | Availability | Supply |
|---------------|---------------|--------------|----------|
| 13601C | Black | Stock item | 3 m bars |
| 13601 | Black | On request | 6 m bars |
| 13602C | Blue RAL 5012 | Stock item | 3 m bars |
| 13602 | Blue RAL 5012 | Stock item | 6 m bars |



1057|1077 Side guide rail - H. 90 mm

Fit on 50 x 6 mm | Material: **BluLub** and standard **UHMW-PE**

Delivery: **Easy**
Standard



| Article-Nr. | Material | Availability | Supply |
|------------------|---------------|--------------|----------|
| 105720BLC | BluLub | Stock item | 3 m bars |
| 105721C | Black | On request | 3 m bars |
| 105705C | Blue | On request | 3 m bars |
| 105724C | Grey | On request | 3 m bars |

Plate
50 x 6 mm

Valid also for **RS** version

Option of application - Plate



PART 159
Pag 72

Valid also for **RS** version

PART 331
Pag 91

Option of application - M-Profile

Side guide rail with Label saver - H. 90 mm



| Article-Nr. | Material | Availability | Supply |
|------------------|---------------|--------------|----------|
| 107720BLC | BluLub | Stock item | 3 m bars |
| 107721C | Black | On request | 3 m bars |
| 107725C | Blue | On request | 3 m bars |
| 107724C | Grey | On request | 3 m bars |

Plate
50 x 6 mm

Valid also for **RS** version

Option of application - Plate

PART 159
Pag 72

Valid also for **RS** version

PART 331
Pag 91

Option of application - M-Profile

Easy Bendable


For the grooved version, just add "S" to the related Article Nr.

1077|1078


RS Side guide rail with Label saver - H. 90 mm

Fit on 50 x 6 mm | Material: **BluLub** + standard **UHMW-PE**


Delivery: **Easy Standard**



| Article-Nr. | Version | Material | Availability | Supply |
|---------------|---------|----------------------|--------------|----------|
| 107722 | A | Black+ BluLub | On request | 3 m bars |
| 107723 | B | Black+ BluLub | On request | 3 m bars |



VERSION A - Label saver 2 cm



VERSION B - Label saver 4 cm

Base profile

| Art-Nr. | Supply |
|---------------|----------|
| 107790 | 3 m bars |

Label saver 2 cm


| Art-Nr. | Supply |
|--------------|------------|
| 18987 | 30 m coils |

Label saver 4 cm


| Art-Nr. | Supply |
|--------------|------------|
| 18988 | 30 m coils |

Single components


Side guide rail with two Label saver - H. 90 mm



| Article-Nr. | Version | Material | Availability | Supply |
|---------------|---------|----------------------|--------------|----------|
| 107822 | A | Black+ BluLub | On request | 3 m bars |
| 107823 | B | Black+ BluLub | On request | 3 m bars |



VERSION A - Label saver 2 cm



VERSION B - Label saver 4 cm

Base profile

| Art-Nr. | Supply |
|---------------|----------|
| 107890 | 3 m bars |

Label saver 2 cm

| Art-Nr. | Supply |
|--------------|------------|
| 18987 | 30 m coils |

Label saver 4 cm


| Art-Nr. | Supply |
|--------------|------------|
| 18988 | 30 m coils |

Label saver 2 cm and 4 cm can also be combined together to obtain different version.

Single components

Easy Bendable



For the grooved version, just add "-S" to the related Article Nr.



1057|1077 Side guide rail - H. 90 mm


Fit on 60 x 6 mm | Material: **BluLub** and standard **UHMW-PE**

Delivery: **Easy**
Standard



| Article-Nr. | Material | Availability | Supply |
|-------------|---------------|--------------|----------|
| 105700BC | BluLub | Stock item | 3 m bars |
| 105711C | Black | Stock item | 3 m bars |
| 105705C | Blue | On request | 3 m bars |
| 105704C | Grey | Stock item | 3 m bars |


Plate
60 x 6 mm



Valid also for **RS** version

Option of application - Plate

PART 1089
Pag 72





Valid also for **RS** version

PART 331
Pag 91


Option of application - M-Profile

Side guide rail with Label saver - H. 90 mm



| Article-Nr. | Material | Availability | Supply |
|-------------|---------------|--------------|----------|
| 107700BC | BluLub | On request | 3 m bars |
| 107711C | Black | On request | 3 m bars |
| 107705C | Blue | On request | 3 m bars |
| 107704C | Grey | On request | 3 m bars |


Plate
60 x 6 mm



Valid also for **RS** version

Option of application - Plate

PART 1089
Pag 72




Valid also for **RS** version

PART 331
Pag 91

Option of application - M-Profile

Easy
Bendable

For the grooved version, just add "S" to the related Article Nr.





1077|1078

RS Side guide rail with Label saver - H. 90 mm


Fit on 60 x 6 mm | Material: **BluLub** + standard **UHMW-PE**

Delivery: **Easy Standard**

| Article-Nr. | Version | Material | Availability | Supply |
|---------------|---------|----------------------|--------------|----------|
| 107700 | A | Black+ BluLub | On request | 3 m bars |
| 107701 | B | Black+ BluLub | On request | 3 m bars |



VERSION A - Label saver 2 cm



VERSION B - Label saver 4 cm

Base profile

| Art-Nr. | Supply |
|---------------|----------|
| 107791 | 3 m bars |

Label saver 2 cm

| Art-Nr. | Supply |
|--------------|------------|
| 18987 | 30 m coils |



Label saver 4 cm

| Art-Nr. | Supply |
|--------------|------------|
| 18988 | 30 m coils |


Single components

Side guide rail with two Label saver - H. 90 mm

| Article-Nr. | Version | Material | Availability | Supply |
|---------------|---------|----------------------|--------------|----------|
| 107800 | A | Black+ BluLub | On request | 3 m bars |
| 107801 | B | Black+ BluLub | On request | 3 m bars |



VERSION A - Label saver 2 cm



VERSION B - Label saver 4 cm

Base profile

| Art-Nr. | Supply |
|---------------|----------|
| 107891 | 3 m bars |

Label saver 2 cm

| Art-Nr. | Supply |
|--------------|------------|
| 18987 | 30 m coils |


Label saver 4 cm

| Art-Nr. | Supply |
|--------------|------------|
| 18988 | 30 m coils |

Label saver 2 cm and 4 cm can also be combined together to obtain different version.

Single components

Easy Bendable
For the grooved version, just add "S" to the related Article Nr.





193|189



Side guide rail - H. 140 mm

Fit on 60 x 5 mm | Material: **BluLub** and standard **UHMW-PE**



Delivery: **Easy**
Standard





| Article-Nr. | Material | Availability | Supply |
|----------------|---------------|--------------|----------|
| 19330BC | BluLub | Stock item | 3 m bars |
| 19335C | Blue | On request | 3 m bars |
| 19334C | Grey | On request | 3 m bars |




Side guide rail with Label saver - H. 140 mm



| Article-Nr. | Material | Availability | Supply |
|----------------|---------------|--------------|----------|
| 18980BC | BluLub | Stock item | 3 m bars |
| 18985C | Blue | On request | 3 m bars |
| 18984C | Grey | On request | 3 m bars |







Easy Bendable
For the grooved version, just add "S" to the related Article Nr.




Side guide rail with Label saver - H. 140 mm

| Article-Nr. | Material | Availability | Supply |
|-------------|----------|--------------|----------|
| 18940BC | BluLub | Stock item | 3 m bars |
| 18945C | Blue | On request | 3 m bars |
| 18944C | Grey | Stock item | 3 m bars |





Easy Bendable
For the grooved version, just add "-S" to the related Article Nr.





193 Side guide rail - H. 140 mm

Fit on 60 x 6 mm | Material: **BluLub** and standard **UHMW-PE**

Delivery: **Easy**
Standard





| Article-Nr. | Material | Availability | Supply |
|-------------|----------|--------------|----------|
| 19320BC | BluLub | Stock item | 3 m bars |
| 19325C | Blue | On request | 3 m bars |
| 19324C | Grey | Stock item | 3 m bars |





189 Side guide rail with Label saver - H. 140 mm

Fit on 60 x 6 mm | Material: **BluLub** and standard **UHMW-PE**

Delivery: **Easy**
Standard




| Article-Nr. | Material | Availability | Supply |
|-------------|----------|--------------|----------|
| 18920BC | BluLub | Stock item | 3 m bars |
| 18925C | Blue | On request | 3 m bars |
| 18924C | Grey | Stock item | 3 m bars |



Easy Bendable

For the grooved version, just add "S" to the related Article Nr.



Side guide rail with Label saver - H. 140 mm

| Article-Nr. | Material | Availability | Supply |
|-------------|----------|--------------|----------|
| 18930BC | BluLub | Stock item | 3 m bars |
| 18935C | Blue | On request | 3 m bars |
| 18934C | Grey | Stock item | 3 m bars |





Plate
60 x 6 mm

Valid also for **RS** version

PART 331
Pag 91

Option of application - Plate

PART 1089
Pag 72

Valid also for **RS** version

PART 331
Pag 91



Option of application - M-Profile

1075 **RS** Side guide rail with Label saver - H. 140 mm

Fit on 60 x 6 mm | Material: **BluLub** + standard **UHMW-PE**

Delivery: **Easy**
Standard

| Article-Nr. | Version | Material | Availability | Supply |
|-------------|---------|----------------------|--------------|----------|
| 107500 | A | Black+ BluLub | On request | 3 m bars |
| 107501 | B | Black+ BluLub | On request | 3 m bars |



VERSION A - Label saver 2 cm

VERSION B - Label saver 4 cm

Base profile

| Art-Nr. | Supply |
|---------|----------|
| 18990 | 3 m bars |

Label saver 2 cm


| Art-Nr. | Supply |
|---------|------------|
| 18987 | 30 m coils |

Label saver 4 cm

| Art-Nr. | Supply |
|---------|------------|
| 18988 | 30 m coils |

Single components



Easy Bendable
For the grooved version, just add "-S" to the related Article Nr.





187 Side guide rail - H. 170 mm

Fixing system: Clamp or Steel plate 60 x 6 mm | Material: **UHMW-PE & BluLub**



Delivery: **Easy**
Standard





| Article-Nr. | Material | Availability | Supply |
|----------------|---------------|--------------|----------|
| 18710BC | BluLub | Stock item | 3 m bars |
| 18705C | Blue | On request | 3 m bars |
| 18714C | Grey | On request | 3 m bars |



Side guide rail with Label saver - H. 170 mm




| Article-Nr. | A | Material | Availability | Supply |
|----------------|----|---------------|--------------|----------|
| 18720BC | 12 | BluLub | Stock item | 3 m bars |
| 18730BC | 20 | BluLub | Stock item | 3 m bars |
| 18740BC | 40 | BluLub | Stock item | 3 m bars |
| 18725C | 12 | Blue | On request | 3 m bars |
| 18735C | 20 | Blue | On request | 3 m bars |
| 18745C | 40 | Blue | On request | 3 m bars |
| 18724C | 12 | Grey | On request | 3 m bars |
| 18734C | 20 | Grey | On request | 3 m bars |
| 18744C | 40 | Grey | On request | 3 m bars |



Easy Bendable



For the grooved version, just add "S" to the related Article Nr.




117 M-Profile

Used with part: 137 - 183 - 189 - 1079 | Material: Stainless steel AISI 304

Delivery: **Easy**
Standard





| Article-Nr. | A | B | Availability | Supply |
|---------------|----|----|--------------|----------|
| 11703C | 6 | 10 | Stock item | 3 m bars |
| 11703 | 6 | 10 | On request | 6 m bars |
| 11701C | 8 | 8 | Stock item | 3 m bars |
| 11701 | 8 | 8 | Stock item | 6 m bars |
| 11702C | 10 | 10 | Stock item | 3 m bars |
| 11702 | 10 | 10 | On request | 6 m bars |




1055 M-Profile

Used with part: 137 - 183 - 189 - 1079 | Material: Stainless steel AISI 304

Delivery: **Easy**
Standard





| Article-Nr. | A | B | Availability | Supply |
|----------------|----|---|--------------|----------|
| 105501C | 40 | 8 | Stock item | 3 m bars |
| 105501 | 40 | 8 | On request | 6 m bars |
| 105503C | 50 | 6 | Stock item | 3 m bars |
| 105503 | 50 | 6 | On request | 6 m bars |




159-1088-1089 Aluminum Guide

Delivery: **Easy**
Standard

Used with part: 158 - 187 - 189- 193 - 1057 - 1075 - 1077 - 1078




| Article-Nr. | A | B | Availability | Supply |
|----------------|----|---|--------------|----------|
| 15901C | 50 | 6 | Stock item | 3 m bars |
| 15901 | 50 | 6 | On request | 6 m bars |
| 108801C | 60 | 5 | Stock item | 3 m bars |
| 108801 | 60 | 5 | On request | 6 m bars |
| 108901C | 60 | 6 | Stock item | 3 m bars |
| 108901 | 60 | 6 | On request | 6 m bars |




362 T-Bolt

Material: Stainless steel AISI 304



Delivery: **Easy**
Standard



| Article-Nr. | A | Availability |
|--------------|----|--------------|
| 36201 | 16 | Stock item |
| 36202 | 22 | Stock item |
| 36203 | 26 | Stock item |





Stainless steel profile thickness: 1,5 mm





| Article-Nr. | Material | Availability | Supply |
|----------------|-----------------|--------------|----------|
| 11901BC | BluLub | Stock item | 3 m bars |
| 11901B | BluLub | On request | 6 m bars |
| 11901C | Ti-White | Stock item | 3 m bars |
| 11901 | Ti-White | On request | 6 m bars |
| 11905C | Blue | On request | 3 m bars |
| 11905 | Blue | On request | 6 m bars |

Stainless steel profile thickness: 1,5 mm





| Article-Nr. | Material | Availability | Supply |
|----------------|-----------------|--------------|----------|
| 11921BC | BluLub | On request | 3 m bars |
| 11921B | BluLub | On request | 6 m bars |
| 11921C | Ti-White | On request | 3 m bars |
| 11921 | Ti-White | On request | 6 m bars |
| 11925C | Blue | On request | 3 m bars |
| 11925 | Blue | On request | 6 m bars |

Stainless steel profile thickness: 1,9 mm



| Article-Nr. | Material | Availability | Supply |
|---------------|-----------------|--------------|----------|
| 11963B | BluLub | On request | 3 m bars |
| 11967B | BluLub | On request | 6 m bars |
| 11963 | Ti-White | Stock item | 3 m bars |
| 11967 | Ti-White | On request | 6 m bars |
| 11964C | Blue | On request | 3 m bars |
| 11964 | Blue | On request | 6 m bars |

Stainless steel profile thickness: 1,9 mm





| Article-Nr. | Material | Availability | Supply |
|---------------|-----------------|--------------|----------|
| 11953B | BluLub | On request | 3 m bars |
| 11957B | BluLub | On request | 6 m bars |
| 11953 | Ti-White | On request | 3 m bars |
| 11957 | Ti-White | Stock item | 6 m bars |
| 11983C | Blue | On request | 3 m bars |
| 11987 | Blue | On request | 6 m bars |

121 Guide rail

Material: **BluLub**, **Ti-White** and standard **UHMW-PE** + Stainless steel AISI 304

Delivery: **Easy**
Standard

Stainless steel profile
thickness: 1,5 mm





| Article-Nr. | Material | Availability | Supply |
|----------------|-----------------|--------------|----------|
| 12101BC | BluLub | On request | 3 m bars |
| 12101B | BluLub | On request | 6 m bars |
| 12101C | Ti-White | Stock item | 3 m bars |
| 12101 | Ti-White | On request | 6 m bars |
| 12105C | Blue | On request | 3 m bars |
| 12105 | Blue | On request | 6 m bars |

Stainless steel profile
thickness: 1,5 mm





Hygienic
Version



| Article-Nr. | Material | Availability | Supply |
|----------------|-----------------|--------------|----------|
| 12121BC | BluLub | On request | 3 m bars |
| 12121B | BluLub | On request | 6 m bars |
| 12121C | Ti-White | On request | 3 m bars |
| 12121 | Ti-White | On request | 6 m bars |
| 12125C | Blue | On request | 3 m bars |
| 12125 | Blue | On request | 6 m bars |

Stainless steel profile
thickness: 1,9 mm





| Article-Nr. | Material | Availability | Supply |
|---------------|-----------------|--------------|----------|
| 12163B | BluLub | On request | 3 m bars |
| 12167B | BluLub | On request | 6 m bars |
| 12163 | Ti-White | Stock item | 3 m bars |
| 12167 | Ti-White | On request | 6 m bars |
| 12173 | Blue | On request | 3 m bars |
| 12177 | Blue | On request | 6 m bars |

Stainless steel profile
thickness: 1,9 mm



Hygienic
Version





| Article-Nr. | Material | Availability | Supply |
|---------------|-----------------|--------------|----------|
| 12153B | BluLub | On request | 3 m bars |
| 12157B | BluLub | On request | 6 m bars |
| 12153 | Ti-White | Stock item | 3 m bars |
| 12157 | Ti-White | On request | 6 m bars |
| 12183 | Blue | On request | 3 m bars |
| 12187 | Blue | On request | 6 m bars |

120 Guide rail

Material: **BluLub**, **Ti-White** and standard **UHMW-PE** + Stainless steel AISI 304



Delivery: **Easy**
Standard

Stainless steel profile
thickness: 1,5 mm



| Article-Nr. | Material | Availability | Supply |
|----------------|-----------------|--------------|----------|
| 12001BC | BluLub | On request | 3 m bars |
| 12001B | BluLub | On request | 6 m bars |
| 12001C | Ti-White | Stock item | 3 m bars |
| 12001 | Ti-White | On request | 6 m bars |
| 12005C | Blue | On request | 3 m bars |
| 12005 | Blue | On request | 6 m bars |

Stainless steel profile
thickness: 1,9 mm





| Article-Nr. | Material | Availability | Supply |
|----------------|-----------------|--------------|----------|
| 12063B | BluLub | On request | 3 m bars |
| 12067B | BluLub | On request | 6 m bars |
| 12063 | Ti-White | Stock item | 3 m bars |
| 12067 | Ti-White | On request | 6 m bars |
| 12063BL | Blue | On request | 3 m bars |
| 12067BL | Blue | On request | 6 m bars |

152 Guide rail

Material: **BluLub**, **Ti-White** and standard **UHMW-PE** + Stainless steel AISI 304



Delivery: **Easy**
Standard

Stainless steel profile
thickness: 1,5 mm



| Article-Nr. | Material | Availability | Supply |
|----------------|-----------------|--------------|----------|
| 15200BC | BluLub | On request | 3 m bars |
| 15201C | Ti-White | Stock item | 3 m bars |
| 15205C | Blue | On request | 3 m bars |

Stainless steel profile
thickness: 1,9 mm





| Article-Nr. | Material | Availability | Supply |
|----------------|-----------------|--------------|----------|
| 15260BC | BluLub | On request | 3 m bars |
| 15263 | Ti-White | On request | 3 m bars |
| 15265C | Blue | On request | 3 m bars |

1067 Guide rail

Material: **BluLub**, **Ti-White** and standard **UHMW-PE** + Stainless steel AISI 304



Delivery: **Easy**
Standard

Stainless steel profile
thickness: 1,5 mm



| Article-Nr. | Material | Availability | Supply |
|-----------------|-----------------|--------------|----------|
| 106700BC | BluLub | On request | 3 m bars |
| 106701C | Ti-White | On request | 3 m bars |
| 106705C | Blue | On request | 3 m bars |

Stainless steel profile
thickness: 1,9 mm





| Article-Nr. | Material | Availability | Supply |
|-----------------|-----------------|--------------|----------|
| 106760BC | BluLub | On request | 3 m bars |
| 106763 | Ti-White | On request | 3 m bars |
| 106765C | Blue | On request | 3 m bars |

143 Guide rail

Material: **BluLub**, **Ti-White** and standard **UHMW-PE** + Stainless steel AISI 304



Delivery: **Easy**
Standard

Stainless steel profile
thickness: 1,5 mm



| Article-Nr. | Material | Availability | Supply |
|----------------|-----------------|--------------|----------|
| 14300BC | BluLub | On request | 3 m bars |
| 14301C | Ti-White | On request | 3 m bars |
| 14305C | Blue | On request | 3 m bars |

Stainless steel profile
thickness: 1,9 mm





| Article-Nr. | Material | Availability | Supply |
|----------------|-----------------|--------------|----------|
| 14360BC | BluLub | On request | 3 m bars |
| 14363 | Ti-White | Stock item | 3 m bars |
| 14365C | Blue | On request | 3 m bars |

122 Guide rail

Material: **BluLub**, **Ti-White** and standard **UHMW-PE** + Stainless steel AISI 304



Delivery: **Easy**
Standard

Stainless steel profile thickness: 1,5 mm



| Article-Nr. | Material | Availability | Supply |
|----------------|-----------------|--------------|----------|
| 12200BC | BluLub | On request | 3 m bars |
| 12201C | Ti-White | Stock item | 3 m bars |
| 12205C | Blue | On request | 3 m bars |

Stainless steel profile thickness: 1,9 mm





| Article-Nr. | Material | Availability | Supply |
|-----------------|-----------------|--------------|----------|
| 12260BC | BluLub | On request | 3 m bars |
| 12263 | Ti-White | Stock item | 3 m bars |
| 12263BLC | Blue | On request | 3 m bars |

123 Guide rail

Material: **BluLub**, **Ti-White** and standard **UHMW-PE** + Stainless steel AISI 304



Delivery: **Easy**
Standard

Stainless steel profile thickness: 1,5 mm



| Article-Nr. | Material | Availability | Supply |
|----------------|-----------------|--------------|----------|
| 12300BC | BluLub | On request | 3 m bars |
| 12301C | Ti-White | Stock item | 3 m bars |
| 12305C | Blue | On request | 3 m bars |

Stainless steel profile thickness: 1,9 mm





| Article-Nr. | Material | Availability | Supply |
|-----------------|-----------------|--------------|----------|
| 12360BC | BluLub | On request | 3 m bars |
| 12363 | Ti-White | Stock item | 3 m bars |
| 12363BLC | Blue | On request | 3 m bars |

140 Guide rail

Material: **BluLub**, **Ti-White** and standard **UHMW-PE** + Stainless steel AISI 304



Delivery: **Easy**
Standard

Stainless steel profile
thickness: 1,5 mm



| Article-Nr. | Material | Availability | Supply |
|----------------|-----------------|--------------|----------|
| 14000BC | BluLub | On request | 3 m bars |
| 14001C | Ti-White | Stock item | 3 m bars |
| 14005C | Blue | On request | 3 m bars |

Stainless steel profile
thickness: 1,9 mm





| Article-Nr. | Material | Availability | Supply |
|-----------------|-----------------|--------------|----------|
| 14060BC | BluLub | On request | 3 m bars |
| 14063 | Ti-White | Stock item | 3 m bars |
| 14063BLC | Blue | On request | 3 m bars |

146 Guide rail

Material: **BluLub**, **Ti-White** and standard **UHMW-PE** + Stainless steel AISI 304



Delivery: **Easy**
Standard

Stainless steel profile
thickness: 1,5 mm



| Article-Nr. | Material | Availability | Supply |
|----------------|-----------------|--------------|----------|
| 14600BC | BluLub | On request | 3 m bars |
| 14601C | Ti-White | On request | 3 m bars |
| 14605C | Blue | On request | 3 m bars |

Stainless steel profile
thickness: 1,9 mm





| Article-Nr. | Material | Availability | Supply |
|-----------------|-----------------|--------------|----------|
| 14660BC | BluLub | On request | 3 m bars |
| 14663 | Ti-White | On request | 3 m bars |
| 14663BLC | Blue | On request | 3 m bars |

124 Guide rail

Material: **BluLub**, **Ti-White** and standard **UHMW-PE** + Stainless steel AISI 304



Delivery: **Easy**
Standard

Stainless steel profile
thickness: 1,5 mm



| Article-Nr. | Material | Availability | Supply |
|----------------|-----------------|--------------|----------|
| 12400BC | BluLub | On request | 3 m bars |
| 12401C | Ti-White | Stock item | 3 m bars |
| 12405C | Blue | On request | 3 m bars |

Stainless steel profile
thickness: 1,9 mm





| Article-Nr. | Material | Availability | Supply |
|-----------------|-----------------|--------------|----------|
| 12460BC | BluLub | On request | 3 m bars |
| 12463 | Ti-White | Stock item | 3 m bars |
| 12463BLC | Blue | On request | 3 m bars |

141 Guide rail

Material: **BluLub**, **Ti-White** and standard **UHMW-PE** + Stainless steel AISI 304



Delivery: **Easy**
Standard

Stainless steel profile
thickness: 1,5 mm



| Article-Nr. | Material | Availability | Supply |
|----------------|-----------------|--------------|----------|
| 14100BC | BluLub | On request | 3 m bars |
| 14101C | Ti-White | Stock item | 3 m bars |
| 14105C | Blue | On request | 3 m bars |

Stainless steel profile
thickness: 1,9 mm





| Article-Nr. | Material | Availability | Supply |
|-----------------|-----------------|--------------|----------|
| 14160BC | BluLub | On request | 3 m bars |
| 14163 | Ti-White | Stock item | 3 m bars |
| 14163BLC | Blue | On request | 3 m bars |

142 Guide rail

Material: **BluLub**, **Ti-White** and standard **UHMW-PE** + Stainless steel AISI 304



Delivery: **Easy**
Standard

Stainless steel profile
thickness: 1,5 mm



| Article-Nr. | Material | Availability | Supply |
|----------------|-----------------|--------------|----------|
| 14200BC | BluLub | On request | 3 m bars |
| 14201C | Ti-White | On request | 3 m bars |
| 14205C | Blue | On request | 3 m bars |

Stainless steel profile
thickness: 1,9 mm





| Article-Nr. | Material | Availability | Supply |
|-----------------|-----------------|--------------|----------|
| 14260BC | BluLub | On request | 3 m bars |
| 14263 | Ti-White | On request | 3 m bars |
| 14263BLC | Blue | On request | 3 m bars |

125 Guide rail

Material: **BluLub**, **Ti-White** and standard **UHMW-PE** + Stainless steel AISI 304



Delivery: **Easy**
Standard

Stainless steel profile
thickness: 1,5 mm



| Article-Nr. | Material | Availability | Supply |
|----------------|-----------------|--------------|----------|
| 12500BC | BluLub | On request | 3 m bars |
| 12501C | Ti-White | On request | 3 m bars |
| 12505C | Blue | On request | 3 m bars |

Stainless steel profile
thickness: 1,9 mm





| Article-Nr. | Material | Availability | Supply |
|-----------------|-----------------|--------------|----------|
| 12560BC | BluLub | On request | 3 m bars |
| 12563 | Ti-White | Stock item | 3 m bars |
| 12563BLC | Blue | On request | 3 m bars |

144 Guide rail

Material: **BluLub**, **Ti-White** and standard **UHMW-PE** + Stainless steel AISI 304



Delivery: **Easy**
Standard

Stainless steel profile
thickness: 1,5 mm



| Article-Nr. | Material | Availability | Supply |
|----------------|-----------------|--------------|----------|
| 14400BC | BluLub | On request | 3 m bars |
| 14401C | Ti-White | Stock item | 3 m bars |
| 14405C | Blue | On request | 3 m bars |

Stainless steel profile
thickness: 1,9 mm





| Article-Nr. | Material | Availability | Supply |
|-----------------|-----------------|--------------|----------|
| 14460BC | BluLub | On request | 3 m bars |
| 14463 | Ti-White | Stock item | 3 m bars |
| 14463BLC | Blue | On request | 3 m bars |

184 Guide rail

Material: **BluLub**, **Ti-White** and standard **UHMW-PE** + Stainless steel AISI 304



Delivery: **Easy**
Standard

Stainless steel profile
thickness: 1,5 mm



| Article-Nr. | Material | Availability | Supply |
|----------------|-----------------|--------------|----------|
| 18400BC | BluLub | On request | 3 m bars |
| 18401C | Ti-White | On request | 3 m bars |
| 18405C | Blue | On request | 3 m bars |

Stainless steel profile
thickness: 1,9 mm





| Article-Nr. | Material | Availability | Supply |
|-----------------|-----------------|--------------|----------|
| 18460BC | BluLub | On request | 3 m bars |
| 18463 | Ti-White | On request | 3 m bars |
| 18463BLC | Blue | On request | 3 m bars |

145 Guide rail

Material: **BluLub**, **Ti-White** and standard **UHMW-PE** + Stainless steel AISI 304



Delivery: **Easy**
Standard

Stainless steel profile thickness: 1,5 mm



| Article-Nr. | Material | Availability | Supply |
|---------------|-----------------|--------------|----------|
| 14503C | BluLub | On request | 3 m bars |
| 14504C | Ti-White | On request | 3 m bars |
| 14505C | Blue | On request | 3 m bars |

Stainless steel profile thickness: 1,9 mm





| Article-Nr. | Material | Availability | Supply |
|--------------|-----------------|--------------|----------|
| 14563 | BluLub | On request | 3 m bars |
| 14564 | Ti-White | On request | 3 m bars |
| 14565 | Blue | On request | 3 m bars |

1087 Guide rail

Material: **BluLub**, **Ti-White** and standard **UHMW-PE** + Stainless steel AISI 304

Delivery: **Easy**
Standard

Stainless steel profile thickness: 1,9 mm





| Article-Nr. | Material | Availability | Supply |
|---------------|-----------------|--------------|----------|
| 108763 | BluLub | On request | 3 m bars |
| 108764 | Ti-White | On request | 3 m bars |
| 108765 | Blue | On request | 3 m bars |

191 Guide rail

Material: **BluLub**, **Ti-White** and standard **UHMW-PE** + Stainless steel AISI 304

Delivery: **Easy**
Standard

Stainless steel profile thickness: 1,9 mm





| Article-Nr. | Material | Availability | Supply |
|----------------|-----------------|--------------|----------|
| 19100BC | BluLub | On request | 3 m bars |
| 19101C | Ti-White | Stock item | 3 m bars |
| 19105C | Blue | On request | 3 m bars |

126 Guide rail

Material: **BluLub**, **Ti-White** and standard **UHMW-PE** + Stainless steel AISI 304

Delivery: **Easy**
Standard

Stainless steel profile thickness: 1,5 mm





| Article-Nr. | Material | Availability | Supply |
|----------------|-----------------|--------------|----------|
| 12600BC | BluLub | On request | 3 m bars |
| 12601C | Ti-White | On request | 3 m bars |
| 12605C | Blue | On request | 3 m bars |

127 Guide rail

Material: **BluLub**, **Ti-White** and standard **UHMW-PE** + Stainless steel AISI 304

Delivery: **Easy**
Standard

Stainless steel profile thickness: 1,5 mm





| Article-Nr. | Material | Availability | Supply |
|----------------|-----------------|--------------|----------|
| 12700BC | BluLub | On request | 3 m bars |
| 12701C | Ti-White | On request | 3 m bars |
| 12705C | Blue | On request | 3 m bars |

128 Guide rail

Material: **BluLub**, **Ti-White** and standard **UHMW-PE** + Stainless steel AISI 304

Delivery: **Easy**
Standard

Stainless steel profile thickness: 1,5 mm





| Article-Nr. | Material | Availability | Supply |
|----------------|-----------------|--------------|----------|
| 12800BC | BluLub | On request | 3 m bars |
| 12801C | Ti-White | On request | 3 m bars |
| 12805C | Blue | On request | 3 m bars |

129 Guide rail

Material: **BluLub**, **Ti-White** and standard **UHMW-PE** + Stainless steel AISI 304

Delivery: **Easy**
Standard

Stainless steel profile thickness: 1,5 mm



| Article-Nr. | Material | Availability | Supply |
|----------------|-----------------|--------------|----------|
| 12900BC | BluLub | On request | 3 m bars |
| 12901C | Ti-White | On request | 3 m bars |
| 12905C | Blue | On request | 3 m bars |

For wide profiles, **Movex®** always suggests to bend them to the right curve radius using the appropriate tool, **Movex®** bending machine is a versatile bending device developed for professional user.

Remarkable features are: quick readiness for use, good bending performance and little space requirements.



Electric Bending machine

Art-Nr. **19848**

Dimension base: 665 x 740 mm
 Height: 1400 mm
 Approximate weight: 170 Kg
 Shafts diameter: 30 mm
 Rolls diameter: 137 mm
 Geared motor: HP 1
 Shafts speed: 9 RPM
 Steel frame
 Two forming rolls
 Steel shafts in special steel

Manual Bending machine


Art-Nr. **19999**




Dimension: 570 x 260 mm Height: 180 mm
 Approximate weight: 19 Kg Steel frame
 Shafts diameter: 25 mm

To achieve the correct curvature please follow below steps:


1 | Identify correct curve radius angle




2 | Insert the plate into the profile



3 | Bend assembled profile



4 | Assemble the curved profile on the line



*For narrower profiles, bending operation can be done directly on the line, by hand.





Internal curve






External curve



| Part | Article-Nr. | Ø (mm) | Suitable for Part: |
|------|-------------|--------|-----------------------|
| 151 | 15101 | 25 | 119 - 120 - 121 - 152 |
| 151 | 15101E | 30 | 119 - 120 - 121 - 152 |






| Part | Article-Nr. | Ø (mm) | Suitable for Part: |
|------|-------------|--------|-----------------------------------|
| 151 | 15102 | 25 | 122 - 123 - 124 - 140 - 142 - 146 |
| 151 | 15102E | 30 | 122 - 123 - 124 - 140 - 142 - 146 |






| Part | Article-Nr. | Ø (mm) | Suitable for Part: |
|------|-------------|--------|--------------------|
| 151 | 15103 | 25 | 141 |
| 151 | 15103E | 30 | 141 |



| Part | Article-Nr. | Ø (mm) | Suitable for Part: |
|------|-------------|--------|--------------------|
| 151 | 15104 | 25 | 144 |
| 151 | 15104E | 30 | 144 |



| Part | Article-Nr. | Ø (mm) | Suitable for Part: |
|------|-------------|--------|--------------------|
| 151 | 15105 | 25 | Ø8 - Ø10 - Ø12 |
| 151 | 15105E | 30 | Ø8 - Ø10 - Ø12 |





Internal curve





External curve

| Part | Article-Nr. | Ø (mm) | Suitable for Part: |
|------|-------------|--------|--------------------|
| 151 | 15109 | 25 | 358 |
| 151 | 15109E | 30 | 358 |





See general catalogue for product details.




| Part | Article-Nr. | Ø (mm) | Suitable for Part: |
|------|-------------|--------|--------------------|
| 151 | 15110 | 25 | 360 |
| 151 | 15110E | 30 | 360 |





See general catalogue for product details.




| Part | Article-Nr. | Ø (mm) | Suitable for Part: |
|------|-------------|--------|--------------------|
| 151 | 15106 | 25 | 359 |
| 151 | 15106E | 30 | 359 |





See general catalogue for product details.





| Part | Article-Nr. | Ø (mm) | Suitable for Part: |
|------|-------------|--------|--------------------|
| 151 | 15107 | 25 | 361 |
| 151 | 15107E | 30 | 361 |



See general catalogue for product details.





| Part | Article-Nr. | Ø (mm) | Suitable for Part: |
|------|-------------|--------|--------------------|
| 151 | 15108 | 25 | 117 |
| 151 | 15108E | 30 | 117 |



170 Neck guide

Fit on 2,5 mm | Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**
Standard





| Article-Nr. | Material | Availability | Supply |
|-------------|-----------------|--------------|------------|
| 17001B | BluLub | Stock item | 3 m bars |
| 17002B | BluLub | Stock item | 6 m bars |
| 17000B | BluLub | Stock item | 30 m coils |
| 17001 | Ti-White | On request | 3 m bars |
| 17002 | Ti-White | On request | 6 m bars |
| 17000 | Ti-White | On request | 30 m coils |
| 17005C | Blue | On request | 3 m bars |
| 17005 | Blue | On request | 6 m bars |
| 17005-30 | Blue | On request | 30 m coils |

168 Neck guide

Fit on 2,5 mm | Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**
Standard





| Article-Nr. | Material | Availability | Supply |
|-------------|-----------------|--------------|------------|
| 16801B | BluLub | Stock item | 3 m bars |
| 16802B | BluLub | On request | 6 m bars |
| 16800B | BluLub | Stock item | 30 m coils |
| 16801 | Ti-White | On request | 3 m bars |
| 16802 | Ti-White | On request | 6 m bars |
| 16800 | Ti-White | On request | 30 m coils |
| 16805C | Blue | On request | 3 m bars |
| 16805 | Blue | On request | 6 m bars |
| 16805-30 | Blue | On request | 30 m coils |

169 Neck guide

Fit on 2,5 mm | Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**
Standard





| Article-Nr. | Material | Availability | Supply |
|-------------|-----------------|--------------|------------|
| 16901B | BluLub | Stock item | 3 m bars |
| 16902B | BluLub | On request | 6 m bars |
| 16900B | BluLub | Stock item | 30 m coils |
| 16901 | Ti-White | On request | 3 m bars |
| 16902 | Ti-White | On request | 6 m bars |
| 16900 | Ti-White | On request | 30 m coils |
| 16905C | Blue | On request | 3 m bars |
| 16905 | Blue | On request | 6 m bars |
| 16905-30 | Blue | On request | 30 m coils |

167 Neck guide

Fit on 1,8 - 2 mm | Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**
Standard





| Article-Nr. | Material | Availability | Supply |
|-------------|-----------------|--------------|------------|
| 16700BC | BluLub | Stock item | 3 m bars |
| 16700B | BluLub | On request | 6 m bars |
| 16700B-30 | BluLub | Stock item | 30 m coils |
| 16700C | Ti-White | On request | 3 m bars |
| 16700 | Ti-White | On request | 6 m bars |
| 16700-30 | Ti-White | On request | 30 m coils |
| 16705C | Blue | On request | 3 m bars |
| 16705 | Blue | On request | 6 m bars |
| 16705-30 | Blue | On request | 30 m coils |

192 Neck guide

Fit on 1,8 - 2 mm | Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**
Standard





| Article-Nr. | Material | Availability | Supply |
|---------------|-----------------|--------------|------------|
| 19200B | BluLub | Stock item | 30 m coils |
| 19200 | Ti-White | On request | 30 m coils |
| 19205 | Blue | On request | 30 m coils |

1062 Neck guide

Fit on 1,8 - 2 mm | Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**
Standard





| Article-Nr. | Material | Availability | Supply |
|----------------|-----------------|--------------|------------|
| 106200B | BluLub | Stock item | 30 m coils |
| 106200 | Ti-White | On request | 30 m coils |
| 106205 | Blue | On request | 30 m coils |

1072 Neck guide

Fit on 1,8 - 2 mm | Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**
Standard





| Article-Nr. | Material | Availability | Supply |
|----------------|-----------------|--------------|------------|
| 107200B | BluLub | Stock item | 30 m coils |
| 107200 | Ti-White | On request | 30 m coils |
| 107205 | Blue | On request | 30 m coils |

1073 Neck guide

Fit on 1,8 - 2 mm | Material: **BluLub**

Delivery: **Easy**
Standard





| Article-Nr. | Material | Availability | Supply |
|----------------|-----------------|--------------|------------|
| 107300B | BluLub | Stock item | 30 m coils |
| 107300 | Ti-White | On request | 30 m coils |
| 107305 | Blue | On request | 30 m coils |

1076 Neck guide

Fit on 1,8 - 2 mm | Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**
Standard





| Article-Nr. | Material | Availability | Supply |
|----------------|-----------------|--------------|------------|
| 107600B | BluLub | Stock item | 30 m coils |
| 107600 | Ti-White | On request | 30 m coils |
| 107605 | Blue | On request | 30 m coils |

1037 Neck guide

Fit on 3 mm | Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**
Standard





| Article-Nr. | Material | Availability | Supply |
|----------------|-----------------|--------------|------------|
| 103700B | BluLub | Stock item | 30 m coils |
| 103700 | Ti-White | On request | 30 m coils |
| 103705 | Blue | On request | 30 m coils |

171 Neck guide

Fit on 3 mm | Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**
Standard





| Article-Nr. | Material | Availability | Supply |
|---------------|-----------------|--------------|------------|
| 17100B | BluLub | Stock item | 30 m coils |
| 17100 | Ti-White | On request | 30 m coils |
| 17105 | Blue | On request | 30 m coils |

172 Neck guide

Fit on 3 mm | Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**
Standard





| Article-Nr. | Material | Availability | Supply |
|---------------|-----------------|--------------|------------|
| 17200B | BluLub | Stock item | 30 m coils |
| 17200 | Ti-White | On request | 30 m coils |
| 17205 | Blue | On request | 30 m coils |


131 Plastic rail

Material: *BluLub, Ti-White* and standard *UHMW-PE*

Delivery: **Easy**
Standard



TYPE A





TYPE B

| Article-Nr. | Type | Material | Availability | Supply |
|---------------|------|-----------------|--------------|------------|
| 13101B | A | <i>BluLub</i> | Stock item | 30 m coils |
| 13102B | B | <i>BluLub</i> | Stock item | 30 m coils |
| 13106 | A | <i>Ti-White</i> | On request | 30 m coils |
| 13107 | B | <i>Ti-White</i> | On request | 30 m coils |
| 13108 | A | Blue | On request | 30 m coils |
| 13109 | B | Blue | On request | 30 m coils |
| 13101 | A | Grey | Stock item | 30 m coils |
| 13102 | B | Grey | Stock item | 30 m coils |


130 Aluminum rail

Material: Aluminum

Delivery: **Easy**
Standard



TYPE A





TYPE B

| Article-Nr. | Type | Availability | Supply |
|---------------|------|--------------|----------|
| 13001C | A | Stock item | 3 m bars |
| 13001 | A | On request | 6 m bars |
| 13002C | B | Stock item | 3 m bars |

188 Aluminum rail

Material: Aluminum

Delivery: **Easy**
Standard




| Article-Nr. | Availability | Supply |
|---------------|--------------|----------|
| 18801C | Stock item | 3 m bars |
| 18801 | Stock item | 6 m bars |

331 Stainless steel clamp

USED WITH PART: 135 - 187 - 189 - 193 - 1057 - 1075 - 1077 - 1078

Delivery: **Easy**
Standard





| Article-Nr. | Pin Ø |
|-------------|--------|
| 33101 | No Pin |
| 33102 | 12 |
| 33103 | 16 |



Stainless steel clamp

USED WITH PART: 135 - 187 - 189 - 193 - 1057 - 1075 - 1077 - 1078


| Article-Nr. | Pin Ø |
|-------------|--------|
| 33105 | No Pin |
| 33106 | 12 |
| 33107 | 16 |




345 Stainless steel clamp

USED WITH PART: 136

Delivery: **Easy**
Standard




| Article-Nr. | Pin Ø |
|-------------|--------|
| 34501 | No Pin |
| 34502 | 12 |
| 34503 | 16 |



341 Polyamide clamp - TYPE B

USED WITH PART: 135 - 187 - 189 - 193 - 1057 - 1075 - 1077 - 1078

Delivery: **Easy**
Standard




| Article-Nr. | Pin Ø |
|--------------|--------|
| 34111 | No Pin |
| 34112 | 12 |
| 34113 | 16 |

Suitable pins
PART 3004/3005 Pag 93/94
For straight application

Polyamide clamp - TYPE A

USED WITH PART: 136





| Article-Nr. | Pin Ø |
|--------------|--------|
| 34101 | No Pin |
| 34102 | 12 |
| 34103 | 16 |

Suitable pins
PART 351/352 Pag 93
For straight application

394 Stainless steel joint clamp

USED WITH PART: 135 - 136

Delivery: **Easy**
Standard




| Article-Nr. | A | B | C |
|--------------|------|---|----|
| 39401 | 81.5 | 9 | 18 |
| 39402 | 90 | 8 | 17 |

Example of application


351

Stainless steel rod
USED WITH PART: 341 TYPE A

Delivery: **Easy**
Standard




| Article-Nr. | A | B |
|-------------|-----|-----|
| 35101 | 80 | M10 |
| 35102 | 100 | M10 |
| 35103 | 150 | M10 |
| 35151 | 80 | M8 |
| 35152 | 100 | M8 |
| 35153 | 150 | M8 |




3004

Stainless steel rod
USED WITH PART: 331 - 345 - 341 TYPE B

Delivery: **Easy**
Standard




| Article-Nr. | A | B |
|-------------|-----|-----|
| 300401 | 80 | M10 |
| 300402 | 100 | M10 |
| 300403 | 150 | M10 |
| 300451 | 80 | M8 |
| 300452 | 100 | M8 |
| 300453 | 150 | M8 |




352

Stainless steel rod
USED WITH PART: 345 - 341 TYPE A

Delivery: **Easy**
Standard




| Article-Nr. | A | B |
|-------------|-----|-----|
| 35201 | 80 | M10 |
| 35202 | 100 | M10 |
| 35203 | 150 | M10 |
| 35251 | 80 | M8 |
| 35252 | 100 | M8 |
| 35253 | 150 | M8 |




3005

Stainless steel rod
USED WITH PART: 331 - 345 - 341 TYPE B

Delivery: **Easy**
Standard





| Article-Nr. | A | B |
|-------------|-----|-----|
| 300501 | 80 | M10 |
| 300502 | 100 | M10 |
| 300503 | 150 | M10 |
| 300551 | 80 | M8 |
| 300552 | 100 | M8 |
| 300553 | 150 | M8 |




347

Stainless steel rod
Material: Stainless steel

Delivery: **Easy**
Standard





| Article-Nr. | A | B |
|-------------|-----|-----|
| 34701 | 80 | M10 |
| 34702 | 100 | M10 |
| 34703 | 150 | M10 |
| 34751 | 80 | M8 |
| 34752 | 100 | M8 |
| 34753 | 150 | M8 |




348

Stainless steel rod
Material: Stainless steel

Delivery: **Easy**
Standard



| Article-Nr. | A | B |
|-------------|-----|-----|
| 34801 | 80 | M10 |
| 34802 | 100 | M10 |
| 34803 | 150 | M10 |
| 34851 | 80 | M8 |
| 34852 | 100 | M8 |
| 34853 | 150 | M8 |



346



Stainless steel joint rod adapter

USED WITH PART: 331 - 345

Delivery: **Easy**
Standard



| Article-Nr. | A | B | C |
|-------------|-----|-----|----|
| 34601 | M8 | M8 | 19 |
| 34602 | M8 | M10 | 19 |
| 34603 | M10 | M10 | 19 |
| 34699 | M8 | M8 | 16 |



357



Stainless steel joint rod adapter

Material: Stainless steel

Delivery: **Easy**
Standard



| Article-Nr. | A |
|-------------|-----|
| 35701 | 80 |
| 35702 | 100 |
| 35703 | 150 |





movexii.com

EXTRUDED PROFILES

Movex[®]

Movex S.p.A. | Headquarter
Viale Industria, 22
24060 Castelli Calepio (BG)

P +39 035 8359711
F +39 035 4420873

Movex S.p.A. | Logistics Center
Via Repubblica, 25
24060 Castelli Calepio (BG)

info@movexii.com
www.movexii.com

Movex around the world

Movex GmbH
P +49-6204-9375-0

Movex UK Ltd.
P +44-77-20678442

Movex Brasil Ltda
P +55-15-3141-2550

Movex Nederland
P +31-630-994850

Movex France
P +33-0640592049

Movex USA Inc.
P +1-919-274-5477

Movex AG India
P +91-120-4159660-62

Movex SA de CV
P +52-1-3318458187

Movex Russia
P +7 (495) 925-88-56

Movex CIS countries
P +380-667507756